

**“B”**

**Draft Conditions of Approval**

**PLANNING COMMISSION HEARING – March 18, 2020  
CONDITIONS OF APPROVAL**

**Greenwood Mansion Café / Vinum Cellars  
Specific Plan Amendment P17-00019-SPA  
Use Permit P17-00099-UP  
499 Devlin Road  
APN #057-200-028**

This Permit encompasses and shall be limited to the project commonly known as **Greenwood Mansion Café – Vinum Cellars, located at 499 Devlin Road**. Part I encompasses the Project Scope and general conditions pertaining to statutory and local code references, project monitoring and the process for any future changes or activities. Part II encompasses the ongoing conditions relevant to the operation of the project. Part III encompasses the conditions relevant to construction and the prerequisites for a Final Certificate of Occupancy. It is the responsibility of the permittee to communicate the requirements of these conditions and mitigations (if any) to all designers, contractors, employees, and the general public to ensure compliance is achieved.

Where conditions are not applicable or relevant to this project, they shall be noted as “Reserved” and, therefore, have been removed.

When modifying a legally established entitlement related to this project, these conditions are not intended to be retroactive or to have any effect on existing vested rights except where specifically indicated.

**PART I**

**1.0 PROJECT SCOPE**

This Permit encompasses and replaces the terms of Use Permit U-89-55, U-90-11 and #98272-MOD with respect to the subject property and shall be limited to:

- 1.1 Convert existing 3,090 sq. ft. office building within 1880’s farmhouse to café, winery with accessory wine tasting, and office including:
  - a. Convert 840 sq. ft. of the main building lower floor to a café including commercial kitchen and indoor food service seating area;
  - b. Convert remaining 920 sq. ft. of the main building lower floor to wine tasting room with tasting bar and indoor seating area;
  - c. Retain and upgrade existing 1,330 sq. ft. main building second story for office use including establishment of conference room and installation of 90 sq. ft. elevator shaft and small lobby area;
  - d. Construct new ancillary 680 sq. ft. carriage house on the north side of the main building for wine production;
  - e. Construct approximately 1,200 sq. ft. uncovered, unenclosed deck for use as outdoor café and wine tasting seating;
  - f. Reconfigure and add parking spaces for a total of 32 on-site parking spaces within a (231 space shared access parking lot serving APN’s 057-200-028, -029, -030, -031, -032, and -033);
  - g. Annual maximum production of 1,200 gallons of wine;

- h. Replacement of approximately 15,000 sq. ft. of existing lawn area with vineyard;
- i. A maximum of 10 full-time employees, and 5 part-time employees
- j. Total café and wine tasting seating not to exceed 60 seats (inclusive of all indoor and outdoor seating)
- k. Hours of operation corresponding to the local business-serving needs of the Napa Valley Business Park Specific Park as set forth below in condition 4.13.

The cafe, winery and office use shall be designed in substantial conformance with the submitted site plan, elevation drawings, and other submittal materials and shall comply with all requirements of the Napa Valley Business Park Specific Plan and Napa County Code (County Code). It is the responsibility of the permittee to communicate the requirements of these conditions and mitigations (if any) to all designers, contractors, employees, and the general public to ensure compliance is achieved. Any expansion of or change in use or alternative locations for fire suppression or other types of water tanks shall be approved in accordance with the County Code and may be subject to the permit modification process.

## **2.0 STATUTORY AND CODE SECTION REFERENCES**

All references to statutes and code sections shall refer to their successor as those sections or statutes may be subsequently amended from time to time.

## **3.0 MONITORING COSTS**

All Staff costs associated with monitoring compliance with these conditions, previous permit conditions, and project revisions shall be borne by the permittee and/or property owner. Costs associated with conditions of approval and mitigation measures that require monitoring, including investigation of complaints, other than those costs related to investigation of complaints of non-compliance that are determined to be unfounded, shall be charged to the property owner or permittee. Costs shall be as established by resolution of the Board of Supervisors in accordance with the hourly consulting rate established at the time of the monitoring and shall include maintenance of a \$500 deposit for construction compliance monitoring that shall be retained until issuance of a Final Certificate of Occupancy. Violations of conditions of approval or mitigation measures caused by the permittee's contractors, employees, and/or guests are the responsibility of the permittee.

The Planning Commission may implement an audit program if compliance deficiencies are noted. If evidence of a compliance deficiency is found to exist by the Planning Commission at some time in the future, the Planning Commission may institute the program at the permittee's expense (including requiring a deposit of funds in an amount determined by the Commission) as needed until compliance assurance is achieved. The Planning Commission may also use the data, if so warranted, to commence revocation proceedings in accordance with the County Code.

## **PART II**

### **4.0 OPERATIONAL CHARACTERISTICS OF THE PROJECT**

Permittee shall comply with the following during operation of the project:

4.1 [RESERVED] GROUND WATER MANAGEMENT – WELLS

4.2 [RESERVED] AMPLIFIED MUSIC (*SEE CONDITION 4.16*)

4.3 TRAFFIC

To the maximum extent feasible, scheduling of reoccurring vehicle trips to and from the site for employees and deliveries shall not occur during peak travel times (4:00 – 6:00pm). All road improvements on private property required per Engineering Services shall be maintained in good working condition and in accordance with the Napa County Roads and Streets Standards.

4.4 PARKING

All parking, driveways, and internal roadways shall comply with the Napa County Road and Street Standards. Parking shall be limited to approved parking spaces and those shared spaces available in the shared access parking lot and shall not occur along access or public roads or in other locations. In no case shall parking impede emergency vehicle access or public roads.

4.5 TENANCY CHANGE

- a. Any future change of tenancy within the structure shall require administrative review and approval by the PBES Department prior to occupancy. The permittee shall provide the PBES Department with a written profile of the proposed tenant, including name, present address, phone number, description of proposed use, employees, a list of any hazardous materials, and any other information deemed necessary by the PBES Department. The permittee shall also provide a detailed floor plan of the entire structure identifying the location and square footage of all uses within the structure prior to any new tenancy.
- b. Parking based on the use of the tenant/building shall be provided in compliance with the Napa Valley Business Park (NVBP) prior to issuance of a Final Certificate of Occupancy. Parking shall be provided in accordance with the NVBP upon any change of use and/or tenancy, subject to review and approval by the PBES Director. The installation of parking may be deferred until such time as building tenancy requires, subject to review and approval by the PBES Director. Additional landscaping shall be provided in place of any deferred parking spaces.

4.6 BUILDING DIVISION – USE OR OCCUPANCY CHANGES

Please contact the Building Division with any questions regarding the following:

In accordance with the California Building Code (CBC), no change shall be made in the use or occupancy of an existing building unless the building is made to comply with requirements of the current CBC as for a new building.

4.7 FIRE DEPARTMENT – TEMPORARY STRUCTURES

Please contact the Fire Department with any questions regarding the following:

The permittee and/or designee shall obtain a tent permit from the Fire Department for any temporary structures utilized for authorized events allowed per COA No. 1.0 above.

4.8 [RESERVED] TENANCY CHANGE

4.9 GENERAL PROPERTY MAINTENANCE – LIGHTING, LANDSCAPING, PAINTING, OUTDOOR EQUIPMENT STORAGE, MECHANICAL EQUIPMENT, AND TRASH ENCLOSURE AREAS

- a. All lighting shall be permanently maintained in accordance with the lighting and building plans approved by the County.
- b. All landscaping shall be permanently maintained in accordance with the landscaping approved by the County.
- c. All outdoor screening, storage, mechanical equipment and utility structures shall be permanently maintained in accordance with the landscaping and building plans approved by the County. No stored items shall exceed the height of the screening. Exterior equipment shall be maintained so as to not create a noise disturbance or exceed noise thresholds in the County Code.
- d. The colors used for the roof, exterior walls and built landscaping features of the project shall be limited to earth tones that will blend the facility into the colors of the surrounding site specific vegetation. The permittee shall obtain the written approval of the Planning Division prior to any change in paint color that differs from the approved building permit. Highly reflective surfaces are prohibited.
- e. Designated trash enclosure areas shall be made available and properly maintained for intended use.

4.10 NO TEMPORARY SIGNS

Temporary off-site signage, such as “A-Frame” signs are prohibited.

4.11 COMPLIANCE WITH OTHER DEPARTMENTS AND AGENCIES - OPERATIONAL CONDITIONS

The attached project conditions of approval include all of the following County Divisions, Departments and Agencies’ requirements. Without limiting the force of those other requirements which may be applicable, the following are incorporated by reference as enumerated herein:

- a. Engineering Services Division operational conditions as stated in their Memorandum.
- b. Environmental Health Division operational conditions as stated in their Memorandum.
- c. Building Division operational conditions as stated in their Memorandum.
- d. Department of Public Works operational conditions as stated in their Memorandum.

- e. Fire Department operational conditions as stated in their Inter-Office Memo.
- f. City of American Canyon operational conditions as stated in their “will serve” letter.
- g. Napa Sanitation District operational conditions as stated in their “will serve” letter.

The determination as to whether or not the permittee has substantially complied with the requirements of other County Divisions, Departments and Agencies shall be determined by those County Divisions, Departments or Agencies. The inability to substantially comply with the requirements of other County Divisions, Departments and Agencies may result in the need to modify this permit.

4.12 [RESERVED] OPERATIONAL MITIGATION MEASURES

4.13 OTHER CONDITIONS APPLICABLE TO THE OPERATIONAL ASPECTS OF THE PROJECT

a. TOURS AND TASTINGS/VISITATION

Tours and tastings shall be limited to the following:

- i) Frequency: 7 days per week, Monday through Sunday
- ii) Maximum number of persons per day Monday through Friday: 56
- iii) Maximum number of persons per day Saturday through Sunday: 160
- iv) Maximum number of persons per week: 600
- v) Hours of visitation: 10:00 a.m. to 6:00 p.m.

~~“Tours and tastings” means tours of the winery and/or tastings of wine where such tours and tastings are limited to persons who have made unsolicited prior appointments for tours or tastings. To the maximum extent feasible, scheduling of visitors shall not occur during peak travel times on weekdays between 4 p.m. to 6 p.m.~~

A log book (or similar record) shall be maintained to document the number of visitors to the winery (for either tours and tastings or marketing events), and the dates of the visits. This record of visitors shall be made available to the Planning, Building and Environmental Services (PBES) Department upon request.

b. CAFÉ OPERATION

Café hours of operation shall be:

- i) 5 days per week, Monday through Friday
- ii) Hours of operation: 6:00 a.m. to 8:00 p.m.

4.14 [RESERVED] MARKETING

4.15 OTHER CONDITIONS APPLICABLE TO THE OPERATIONAL ASPECTS OF THE PROJECT

a. AMPLIFIED MUSIC

Amplified sound system or amplified music utilized on the deck outside of approved, enclosed buildings shall be limited to 45 decibels Monday through Friday, 8:00 a.m. to 6:00 p.m.

**PART III**

**5.0 PREREQUISITE FOR ISSUANCE OF PERMITS**

5.1 PAYMENT OF FEES

No building, grading or sewage disposal permits shall be issued or other permits authorized until all accrued planning permit processing fees have been paid in full. This includes all fees associated with plan check and building inspections, associated development impact fees established by County Ordinance or Resolution, and the Napa County Affordable Housing Mitigation Fee in accordance with County Code.

**6.0 GRADING/DEMOLITION/ENVIRONMENTAL/BUILDING PERMIT/OTHER PERMIT PREREQUISITES**

Permittee shall comply with the following with the submittal of a grading, demolition environmental, building and/or other applicable permit applications:

6.1 COMPLIANCE WITH OTHER DEPARTMENTS AND AGENCIES - PLAN REVIEW, CONSTRUCTION AND PREOCCUPANCY CONDITIONS

The attached project conditions of approval include all of the following County Divisions, Departments and Agencies' requirements. The permittee shall comply with all applicable building codes, zoning standards, and requirements of County Divisions, Departments and Agencies at the time of submittal and may be subject to change. Without limiting the force of those other requirements which may be applicable, the following are incorporated by reference as enumerated herein:

- a. Engineering Services Division plan review/construction/preoccupancy conditions as stated in their Memorandum.
- b. Environmental Health Division plan review/construction/preoccupancy conditions as stated in their Memorandum.
- c. Building Division plan review/construction/preoccupancy conditions as stated in their Memorandum dated.
- d. Department of Public Works plan review/construction/preoccupancy conditions as stated in their Memorandum.

- e. Fire Department plan review/construction/preoccupancy conditions as stated in their Inter-Office Memo.
- f. City of American Canyon plan review/construction/preoccupancy conditions as stated in their “will serve” letter.
- h. Napa Sanitation District plan review/construction/preoccupancy conditions as stated in their letter.

The determination as to whether or not the permittee has substantially complied with the requirements of other County Divisions, Departments and Agencies shall be determined by those County Divisions, Departments or Agencies. The inability to substantially comply with the requirements of other County Divisions, Departments and Agencies may result in the need to modify the permit.

## 6.2 BUILDING DIVISION – GENERAL CONDITIONS

Please contact the Building Division with any questions regarding the following:

- a. A building permit shall be obtained for all construction occurring on the site not otherwise exempt by the CBC or any State or local amendment adopted thereto
- b. If there are any existing structures and/or buildings on the property that will need to be removed to accommodate construction activities, a separate demolition permit shall be required from the Building Division prior to removal. The permittee shall provide a “J” number from the Bay Area Air Quality Management District (BAAQMD) at the time the permittee applies for a demolition permit if applicable.
- c. All areas of newly designed and newly constructed buildings, facilities and or site improvements shall comply with the CBC accessibility requirements, as well as, American with Disabilities Act requirements when applicable. When alterations or additions are made to existing buildings or facilities, an accessible path of travel to the specific area of alteration or addition shall be provided, as required per the CBC.

## 6.3 LIGHTING – PLAN SUBMITTAL

- a. Two (2) copies of a detailed lighting plan showing the location and specifications for all lighting fixtures to be installed on the property shall be submitted for Planning Division review and approval. All lighting shall comply with the CBC.
- b. All exterior lighting, including landscape lighting, shall be shielded and directed downward; located as low to the ground as possible; the minimum necessary for security, safety, or operations; on timers; and shall incorporate the use of motion detection sensors to the greatest extent practical. All lighting shall be shielded or placed such that it does not shine directly on adjacent properties or impact vehicles on adjacent streets. No flood-lighting or sodium lighting of the building is permitted, including architectural highlighting and spotting. Low-level lighting shall be

utilized in parking areas as opposed to elevated high-intensity light standards.

#### 6.4 LANDSCAPING – PLAN SUBMITTAL

- a. Two (2) copies of a detailed final landscaping and irrigation plan, including parking details, shall be submitted with the building permit application package for the Planning Division’s review and approval prior to the issuance of any building permit associated with this permit. The plan shall be prepared pursuant to the Water Efficient Landscape Ordinance (Chapter 18.118 of the County Code) requirements in effect at the time of building permit application submittal, as applicable, and shall indicate the names and locations of all plant materials to be used along with their method of maintenance.
- b. Plant materials shall be purchased locally when practical, and, to the greatest extent possible, the plant materials shall be the same native plants found in Napa County. The Agricultural Commissioner’s office shall be notified of all impending deliveries of live plants with points of origin outside of Napa County.
- c. No trees greater than 6” diameter at breast height shall be removed, except for those identified on the submitted site plan. Trees to be retained shall be protected during construction by fencing securely installed at the outer most dripline of the tree or trees. Such fencing shall be maintained throughout the duration of the work undertaken in connection with development/construction. In no case shall construction material, debris or vehicles be stored in the fenced tree protection area.
- d. All landscaped areas and sidewalks shall be separated from parking and drive aisle areas by a minimum 6 inch raised concrete curb. The irrigation system shall utilize reclaimed water. Two feet of required parking stall depth may overhang into non-required landscape planters and sidewalks. Standard sized parking stalls are required to have a minimum depth of 19 feet, and compact stalls may be 16 feet. A maximum of 35% of the parking stalls may be compact.
- e. The irrigation system shall utilize reclaimed water when it is made available in the vicinity. Any undeveloped portion of the property shall be hydro-seeded or an approved equivalent and permanently maintained.

#### 6.5 COLORS

Exterior finishes and colors of the building, roof, parking lot and walkways shall be subject to approval by the Planning Division in conjunction with building permit review and/or prior to painting. Highly reflective surfaces are prohibited.

#### 6.6 OUTDOOR STORAGE/SCREENING/UTILITIES

Details of outdoor storage areas and structures shall be included on the building and landscape plans. No outdoor storage is permitted as part of this action. Any proposal for outdoor storage and proposed screening is subject to separate review and approval by the PBES Department. New utility lines required for this project shall be placed underground.

## 6.7 MECHANICAL EQUIPMENT

- a. Roof mounted equipment shall be screened by a parapet wall of equal or greater height than the highest piece of roof mounted equipment or vent. Equipment may be screened by a separate roof screen that is architecturally integrated with the building if screening by a parapet wall is not feasible or is architecturally undesirable. When separate roof screens are used, roof equipment should be organized into major groups screening a smaller number of units rather than multiple areas. The PBES Director may approve exceptions for solar equipment. All screening is subject to review and approval by the PBES Director. Any skylights shall be subject to review and approval by the PBES Director prior to the issuance of building permits.
- b. The term "equipment" includes roof mounted equipment or vents, electrical equipment, gas meter, communication antennas, irrigation valves, storage tanks, or other mechanical equipment. The manner of screening shall be as follows: Communications equipment, including microwave equipment, may remain unscreened if visually integrated with the building design through color, location, and construction; all building mounted equipment, including but not limited to louvers, pipes, overhead doors or service doors, access ladders, downspouts, conduit, and electrical/service boxes, shall be painted consistent with the color scheme of the building.
- c. Ground mounted equipment shall be screened by walls or landscaping to the satisfaction of the PBES Director.
- d. Exterior equipment shall be located, enclosed or muffled so as not to exceed noise thresholds in the County Code.

## 6.8 TRASH ENCLOSURES

- a. The permittee shall provide one or more trash enclosures (decorative masonry or equivalent), the design of which shall be compatible with the architecture of the project. The enclosure shall be reasonably accessible to employees. A minimum 8' x 10' thickened paving section shall be provided in front of each enclosure. The PBES Director shall approve the design and location of each enclosure. All trash bins shall be stored within approved trash enclosures. The enclosure shall also include a separate pedestrian walk-in access.
- b. The permittee shall provide adequate, accessible, and convenient areas for the collection and loading of recyclable materials generated by the development. These areas shall be located adjacent to trash enclosures when practical. All recyclable materials areas shall be accessible by collection vehicles. The PBES Director shall approve the design and location of each collection and loading area.

## 6.9 BICYCLE PARKING

Bicycle parking areas shall be provided at a ratio of one bicycle parking space for every 25 employees, as applicable. At least one bicycle parking space shall be provided.

**6.10 CONSTRUCTION CRANES**

Any crane used in the construction of the phases shall be lighted and have flags for improved visibility from aircraft; no crane shall exceed 80 feet in height without first obtaining the Federal Aviation Administration's express approval.

**6.11 AIRCRAFT OVERFLIGHT EASEMENT**

Upon building permit submittal, the permittee shall submit verification that an aircraft overflight easement has been recorded on the property that provides for the right of aircraft operation, overflight and related noises, and for the regulation of light emissions, electrical emissions, or the release of substances such as steam or smoke which could interfere with aircraft operations.

**6.12 ADDRESSING**

All project site addresses shall be determined by the PBES Director, and be reviewed and approved by the United States Post Office. The PBES Director reserves the right to issue or re-issue an appropriate situs address at the time of issuance of any building permit to ensure proper identification and sequencing of numbers. For multi-tenant or multiple structure projects, this includes building permits for later building modifications or tenant improvements.

**6.13 [RESERVED] HISTORIC RESOURCES**

**6.14 [RESERVED] DEMOLITION ACTIVITIES**

**6.15 [RESERVED] PERMIT PREREQUISITE MITIGATION MEASURES**

**6.16 [RESERVED] PARCEL CHANGE REQUIREMENTS**

**6.17 [RESERVED] FINAL MAPS**

**6.18 [RESERVED] OTHER CONDITIONS APPLICABLE TO THE PROJECT PERMITTING PROCESS**

**7.0 PROJECT CONSTRUCTION**

Permittee shall comply with the following during project construction:

**7.1 SITE IMPROVEMENT**

Please contact Engineering Services with any questions regarding the following:

**a. GRADING & SPOILS**

All grading and spoils generated by construction of the project facilities shall be managed per Engineering Services direction. Alternative locations for spoils are permitted, subject to review and approval by the PBES Director, when such alternative locations do not change the overall concept, and do not conflict with any environmental mitigation measures or conditions of approval.

b. DUST CONTROL

Water and/or dust palliatives shall be applied in sufficient quantities during grading and other ground disturbing activities on-site to minimize the amount of dust produced. Outdoor construction activities shall not occur when average wind speeds exceed 20 mph.

c. AIR QUALITY

During all construction activities the permittee shall comply with the most current version of BAAQMD Basic Construction Best Management Practices including but not limited to the following, as applicable:

1. Post a publicly visible sign with the telephone number and person to contact at the lead agency regarding dust complaints. The BAAQMD's phone number shall also be visible.
2. Water all exposed surfaces (e.g., parking areas, staging areas, soil piles, grading areas, and unpaved access roads) two times per day.
3. Cover all haul trucks transporting soil, sand, or other loose material off-site.
4. Remove all visible mud or dirt tracked onto adjacent public roads by using wet power vacuum street sweepers at least once per day. The use of dry power sweeping is prohibited.
5. All vehicle speeds on unpaved roads shall be limited to 15 mph.
6. All roadways, driveways, and sidewalks to be paved shall be completed as soon as possible. Building pads shall be laid as soon as possible after grading unless seeding or soil binders are used.
7. Idling times shall be minimized either by shutting off equipment when not in use or reducing the maximum idling time to five (5) minutes (as required State Regulations). Clear signage shall be provided for construction workers at all access points.
8. All construction equipment shall be maintained and properly tuned in accordance with manufacturer's specifications. All equipment shall be checked by a certified visible emissions evaluator. Any portable engines greater than 50 horsepower or associated equipment operated within the BAAQMD's jurisdiction shall have either a California Air Resources Board (ARB) registration Portable Equipment Registration Program (PERP) or a BAAQMD permit. For general information regarding the certified visible emissions evaluator or the registration program, visit the ARB FAQ [http://www.arb.ca.gov/portable/perp/perpfaq\\_04-16-15.pdf](http://www.arb.ca.gov/portable/perp/perpfaq_04-16-15.pdf) or the PERP website <http://www.arb.ca.gov/portable/portable.htm>.

- d. **STORM WATER CONTROL**  
The permittee shall comply with all construction and post-construction storm water pollution prevention protocols as required by the County Engineering Services Division, and the State Regional Water Quality Control Board.

7.2 **ARCHEOLOGICAL FINDING**

In the event that archeological artifacts or human remains are discovered during construction, work shall cease in a 50-foot radius surrounding the area of discovery. The permittee shall contact the PBES Department for further guidance, which will likely include the requirement for the permittee to hire a qualified professional to analyze the artifacts encountered and to determine if additional measures are required.

If human remains are encountered during project development, all work in the vicinity must be halted, and the Napa County Coroner informed, so that the Coroner can determine if an investigation of the cause of death is required, and if the remains are of Native American origin. If the remains are of Native American origin, the permittee shall comply with the requirements of Public Resources Code Section 5097.98.

7.3 **CONSTRUCTION NOISE**

Construction noise shall be minimized to the greatest extent practical and feasible under State and local safety laws, consistent with construction noise levels permitted by the General Plan Community Character Element and the County Noise Ordinance. Construction equipment muffling and hours of operation shall be in compliance with the County Code. Equipment shall be shut down when not in use. Construction equipment shall be staged, loaded, and unloaded on the project site, if at all practicable. If project terrain or access road conditions require construction equipment to be staged, loaded, or unloaded off the project site (such as on a neighboring road or at the base of a hill), such activities only shall occur daily between the hours of 8:00 AM to 5:00 PM.

7.4 **CONSTRUCTION NOISE**

Construction noise shall be minimized to the greatest extent practical and feasible under State and local safety laws, consistent with construction noise levels permitted by the General Plan Community Character Element and the County Noise Ordinance. Construction equipment muffling and hours of operation shall be in compliance with the County Code. Equipment shall be shut down when not in use. Construction equipment shall be staged, loaded, and unloaded on the project site, if at all practicable. If project terrain or access road conditions require construction equipment to be staged, loaded, or unloaded off the project site (such as on a neighboring road or at the base of a hill), such activities only shall occur daily between the hours of 8:00 AM to 5:00 PM.

7.5 **[RESERVED] CONSTRUCTION MITIGATION MEASURES**

**8.0 TEMPORARY CERTIFICATE OF OCCUPANCY – PREREQUISITES**

A Temporary Certificate of Occupancy (TCO) may be granted pursuant to the County Code to allow specific limited use of the project ( wine production ) prior to completion of all project improvements. Permittee shall comply with the following before a TCO is granted:

**8.1 TEMPORARY OCCUPANCY**

All life and safety conditions shall be addressed prior to issuance of a TCO by the County Building Official. TCOs shall not be used for general public occupancy of buildings and shall not exceed the maximum time allowed by the County Code which is 180 days. In special circumstances, Departments and/or Agencies with jurisdiction over the project are authorized as part of the TCO process to require a security deposit or other financial instrument to guarantee completion of unfinished improvements.

**9.0 FINAL CERTIFICATE OF OCCUPANCY – PREREQUISITES**

Permittee shall comply with the following before a Final Certificate of Occupancy is granted by the County Building Official, which upon granting, authorizes all use permit activities to commence:

**9.1 FINAL OCCUPANCY**

All project improvements, including compliance with applicable codes, conditions, and requirements of all Departments and Agencies with jurisdiction over the project, shall be completed.

**9.2 SIGNS**

Detailed plans, including elevations, materials, color, and lighting for any project identification or directional signs shall be submitted to the Department for administrative review and approval prior to installation. Administrative review and approval is not required if the signage to be installed is consistent with signage plans submitted, reviewed and approved as part of this permit approval. All signs shall meet the design standards as set forth in the County Code. Any off-site signs allowed shall be in conformance with the County Code.

**9.3 GATE/ENTRY STRUCTURES**

Any gate installed at the project entrance shall be reviewed by the PBES Department and the Fire Department to assure that the design allows large vehicles, such as motorhomes, to turn around if the gate is closed without backing into the public roadway, and that fire suppression access is available at all times. If the gate is part of an entry structure an additional permit shall be required pursuant to the County Code and in accordance with the Napa County Roads and Street Standards. A separate entry structure permit is not required if the entry structure is consistent with entry structure plans submitted, reviewed, and approved as part of this permit approval.

**9.4 LANDSCAPING**

Landscaping shall be installed in accordance with the approved landscape plan.

**9.5 [RESERVED] ROAD OR TRAFFIC IMPROVEMENT REQUIREMENTS**

**9.6 [RESERVED] DEMOLITION ACTIVITIES**

- 9.7 GRADING SPOILS  
All spoils piles shall be removed in accordance with the approved grading permit and/or building permit.
- 9.8 [RESERVED] MITIGATION MEASURES APPLICABLE PRIOR TO ISSUANCE OF A FINAL CERTIFICATE OF OCCUPANCY
- 9.9 [RESERVED] OTHER CONDITIONS APPLICABLE PRIOR TO ISSUANCE OF A FINAL CERTIFICATE OF OCCUPANCY