

SEP 16 2015

Agenda Item # 9B

**REVISED
EXHIBIT B – CONDITIONS OF APPROVAL
PLANNING COMMISSION HEARING – SEPTEMBER 16, 2015**

**Dalla Valle Vineyards Use Permit, Viewshed, Exception to the Road & Street Standards
Application Numbers P14-00121-UP and P15-00198-VIEW
7776 Silverado Trail, Oakville, California
APN #031-060-027**

1.0 SCOPE

This permit shall be limited to:

- 1.1 An exception to the Napa County Road and Streets Standards (RSS), as detailed in the request prepared by Delta Consulting & Engineering, dated May 2, 2014, to allow for a reduction in the horizontal curve radius at one existing location, three existing nonstandard turnouts, and nonstandard turnout spacing at two locations.
- 1.2 Approval of Viewshed application P15-00198-VIEW to review the visibility of the new construction, located on a minor ridgeline, from County designated Viewshed roads, including Silverado Trail, Oakville Cross Road, Highway 29, and Highway 128, as required under the Viewshed Protection Program (Chapter 18.106 of the Napa County Code).
- 1.3 Approval of a Use Permit to encompass the existing Dalla Valle Vineyards winery and to allow the following activities:
 - (a) Construction of a new 5,400 sq. ft. barrel storage building that includes a barrel room, work room, lab, entryway, foyer, vestibule, work room, chemical storage, mechanical room, crush equipment storage, restroom, vineyard storage, and conference/blending room;
 - (b) Construction of a covered outdoor production area approximately 1,270 sq. ft.;
 - (c) Construction of an approximately 400 sq. ft. pump house and utilities enclosure;
 - (d) Removal of approximately 1,300 sq. ft. of existing outdoor production area approved under Minor Modification P07-00553;
 - (e) Removal of 0.25 acres of vineyards;
 - (f) Installation of approximately 2,800 sq. ft. of new landscaping;
 - (g) Upgraded fire turn around;
 - (h) Continuation of existing asphalt driveway along proposed barrel building to replace existing gravel driveway;
 - (i) Proposed 56,000 gallon water tank to be used for domestic and process water;
 - (j) Relocation of existing power lines to accommodate the location of the proposed barrel building; and
 - (k) Two new wells.

No changes in annual production, hours of operation, number of employees, visitation, or marketing have been authorized with this approval.

The winery shall be designed in substantial conformance with the submitted site plan, elevation drawings, and other submittal materials and shall comply with all requirements of the Napa County Code (the County Code). It is the responsibility of the applicant to

communicate the requirements of these conditions and mitigations (if any) to all designers, contractors, employees, and guests of the winery to ensure compliance is achieved. Any expansion or changes in use shall be approved in accordance with County Code Section 18.124.130 and may be subject to the Use Permit modification process.

**Alternative locations for cave spoils and fire suppression tanks are permitted, subject to review and approval by the Director of Planning, Building, and Environmental Services (the PBES Director), when such alternative locations do not change the overall concept, and do not conflict with any environmental mitigation measures or conditions of approval.

2.0 PROJECT SPECIFIC CONDITIONS

Should any of the Project Specific Conditions below conflict with any of the other, standard conditions included in this document (beginning in Section 3.0 and following), the Project Specific Conditions shall supersede and control.

2.1 Viewshed

Prior to the issuance of a building permit, the property owner shall execute and record in the county recorder's office a use restriction, in a form approved by County Counsel, requiring building exteriors and colors and existing and proposed vegetation intended to be used for screening, as well as any equivalent level of replacement vegetation, to be maintained by the owner or the owner's successor so as to maintain conformance with County Code Section 18.106.050(C).

2.2 Future Grape Sourcing

Any future request for an increase in production capacity will be subject to the 75% grape sourcing rule in conformance with County Code Section 18.104.250(C).

3.0 COMPLIANCE WITH OTHER DEPARTMENTS AND AGENCIES

Project conditions of approval include all of the following County, Divisions, Departments and Agency(ies) requirements. The permittee shall comply with all applicable building codes, zoning standards, and requirements of County Divisions, Departments and Agencies at the time of submittal and may be subject to change. Without limiting the force of those other requirements which may be applicable, the following are incorporated by reference as enumerated herein:

3.1 Engineering Services Division as stated in their Memorandum dated September 15, 2015.

3.2 Engineering Services Division as stated in their Road Exception Evaluation Memorandum dated August 13, 2015.

3.3 Environmental Health Division as stated in their Memorandum dated August 25, 2015.

3.4 Building Division as stated in their Memorandum dated June 17, 2014.

3.5 Fire Department as stated in their Inter-Office Memo dated April 16, 2014.

The determination as to whether or not the permittee has substantially complied with the requirements of other County Divisions, Departments and Agencies shall be determined by those Divisions, Departments or Agencies. The inability to substantially comply with the requirements of other County Divisions, Departments and Agencies may result in the need to modify the approved use permit.

4.0 VISITATION

No visitation or marketing activities have been authorized for this winery, per Small Winery Exemption (approved June 10, 1985), #99303-MOD, and P07-00553-MODVMIN.

5.0 COMPLIANCE REVIEW

Permittee shall obtain and maintain all permits (Use Permits and Modifications) and licenses from the California Department of Alcoholic Beverage Control (ABC), United States Tax and Trade Bureau (TTB), and California Department of Food and Agriculture (CDFA) Grape Crush Inquiry data, all of which are required to produce and sell wine. In the event permittee loses the required ABC or TTB permits and licenses (or permit/license is revoked), permittee shall cease marketing events and tours and tastings until such time as those ABC and/or TTB permits and licenses are re-established.

Visitation log books, custom crush client records, and any additional documentation determined by staff to be necessary to evaluate compliance may be requested by the County for any code compliance or code enforcement process. The permittee (and their successors) shall be required to participate fully in the winery code compliance or enforcement process.

6.0 RENTAL/LEASING

No winery facilities, or portions thereof including, without limitation, any kitchens, barrel storage areas, or warehousing space, shall be rented, leased, or used by entities other than persons or entities producing and/or storing wine at the winery, such as alternating proprietors and custom producers, except as may be specifically authorized in this use permit or pursuant to the Temporary Events Ordinance (County Code Chapter 5.36).

7.0 SIGNS

Prior to installation of any winery identification or directional signs, detailed plans, including elevations, materials, color, and lighting, shall be submitted to the PBES Department for administrative review and approval. Administrative review and approval is not required if signage to be installed is consistent with signage plans submitted, reviewed and approved as part of this use permit approval. All signs shall meet the design standards as set forth in County Code Chapter 18.116.

8.0 LIGHTING

All exterior lighting, including landscape lighting, shall be shielded and directed downward, shall be located as low to the ground as possible, shall be the minimum necessary for security, safety, or operations, shall be on timers, and shall incorporate the use of motion detection sensors to the greatest extent practical. No flood-lighting or sodium lighting of the building is permitted, including architectural highlighting and spotting. Low-level lighting shall be utilized in parking areas as opposed to elevated high-intensity light standards. Lighting utilized during harvest activities is not subject to this requirement.

Prior to issuance of any building permit pursuant to this approval, two (2) copies of a detailed lighting plan showing the location and specifications for all lighting fixtures to be installed on the property shall be submitted for Planning Division review and approval. All lighting shall comply with the California Building Code.

9.0 LANDSCAPING

Two (2) copies of a detailed final landscaping and irrigation plan, including parking details, shall be submitted with the building permit application package for the Planning Division's review and approval prior to the issuance of any building permit associated with this approval. The plan shall be prepared pursuant to the County's Water Efficient Landscape Ordinance (WELO), (County Code Chapter 18.118), as applicable, and shall indicate the names and locations of all plant materials to be used along with their method of maintenance.

Plant materials shall be purchased locally when practical. The Agricultural Commissioner's office shall be notified of all impending deliveries of live plants with points of origin outside of Napa County.

No trees greater than 6" diameter at breast height shall be removed, except for those identified on the submitted site plan. Trees to be retained shall be protected during construction by fencing securely installed at the outer most dripline of the tree or trees. Such fencing shall be maintained throughout the duration of the work undertaken in connection with the winery development/construction. In no case shall construction material, debris or vehicles be stored in the fenced tree protection area.

Landscaping shall be completed prior to issuance of a Final Certificate of Occupancy, and shall be permanently maintained in accordance with the landscaping plan.

10.0 OUTDOOR STORAGE/SCREENING/UTILITIES

All outdoor storage of winery equipment shall be screened from the view of residences of adjacent properties by a visual barrier consisting of fencing or dense landscaping. No item in storage shall exceed the height of the screening. Water and fuel tanks, and similar structures, shall be screened to the extent practical so as to not be visible from public roads and adjacent parcels.

New utility lines required for this project that are visible from any designated scenic transportation route (see Community Character Element of the General Plan and County Code Chapter 18.106) shall be placed underground or in an equivalent manner be made virtually invisible from the subject roadway.

11.0 COLORS

The colors used for the roof, exterior walls and built landscaping features of the winery shall be limited to earth tones that will blend the facility into the colors of the surrounding site specific vegetation and the applicant shall obtain the written approval of the PBES Department prior to painting the building. Highly reflective surfaces are prohibited.

12.0 SITE IMPROVEMENT CONDITIONS

Please contact Engineering Services with any questions regarding the following:

12.1 GRADING AND SPOILS

All grading and spoils generated by construction of the project facilities, including cave spoils, shall be managed per Engineering Services direction. All spoils piles shall be removed prior to issuance of a Final Certificate of Occupancy.

12.2 TRAFFIC

Reoccurring and scheduled vehicle trips to and from the site for employees and deliveries shall not occur during peak travel times (3:00p.m.-5:00 p.m. weekdays, Saturday, and Sunday) to the maximum extent possible. All road improvements on private property required per Engineering Services shall be maintained in good working condition and in accordance with the Napa County Roads and Streets Standards.

12.3 DUST CONTROL

Water and/or dust palliatives shall be applied in sufficient quantities during grading and other ground disturbing activities on-site to minimize the amount of dust produced. Outdoor construction activities shall not occur when average wind speeds exceed 20 mph.

12.4 AIR QUALITY

During all construction activities the permittee shall comply with the Bay Area Air Quality Management District Basic Construction Best Management Practices, as provided in Table 8-1, May 2011 Updated CEQA Guidelines:

- a. Post a publicly visible sign with the telephone number and person to contact at the lead agency regarding dust complaints. The Air District's phone number shall also be visible.
- b. All exposed surfaces (e.g., parking areas, staging areas, soil piles, grading areas, and unpaved access roads) shall be watered two times per day.
- c. All haul trucks transporting soil, sand, or other loose material off-site shall be covered.
- d. All visible mud or dirt tracked out onto adjacent public roads shall be removed using wet power vacuum street sweepers at least once per day. The use of dry power sweeping is prohibited.
- e. All vehicle speeds on unpaved roads shall be limited to 15 mph.
- f. All roadways, driveways, and sidewalks to be paved shall be completed as soon as possible. Building pads shall be laid as soon as possible after grading unless seeding or soil binders are used.
- g. Idling times shall be minimized either by shutting equipment off when not in use or reducing the maximum idling time to five (5) minutes (as required by the California airborne toxics control measure Title 13, Section 2485 of California Code of Regulations (CCR)). Clear signage shall be provided for construction workers at all access points.

- h. All construction equipment shall be maintained and properly tuned in accordance with manufacturer's specifications. All equipment shall be checked by a certified visible emissions evaluator.

12.5 STORM WATER CONTROL

The permittee shall comply with all construction and post-construction storm water pollution prevention protocols as required by the County Engineering Services Division, and the State Regional Water Quality Control Board (SRWQCB).

12.6 PARKING

The location of employee and visitor parking and truck loading zone areas shall be identified along with proposed circulation and traffic control signage (if any).

Parking shall be limited to approved parking spaces only and shall not occur along access or public roads or in other locations except during harvest activities and approved marketing events. In no case shall parking impede emergency vehicle access or public roads.

12.7 GATES/ENTRY STRUCTURES

Any gate installed at the winery entrance shall be reviewed by the PBES Department and the Napa County Fire Department to assure that it is designed to allow large vehicles, such as motorhomes, to turn around if the gate is closed without backing into the public roadway, and that fire suppression access is available at all times. If the gate is part of an entry structure an additional permit shall be required according to the County Code and in accordance with the Napa County Roads and Street Standards. A separate entry structure permit is not required if the entry structure is consistent with entry structure plans submitted, reviewed, and approved as part of this use permit approval.

13.0 ENVIRONMENTAL HEALTH-SPECIFIC CONDITIONS

Please contact Environmental Health with any questions regarding the following:

13.1 WELLS

The permittee shall (at the permittee's expense) install and use water meters to record winery water use data monthly and the total annual winery water use. "Winery water use" shall include water used to irrigate the winery landscaping. Water usage shall be minimized by use of best available control technology and best water management conservation practices.

- a. All monitoring shall commence within one year of the issuance of the use permit, or immediately upon approval of occupancy for the new barrel room, whichever occurs first, and a winery water use report including monthly and annual totals shall be submitted annually thereafter ("Report").
- b. In the event that changed circumstances or significant new information provide substantial evidence that use of groundwater for the winery and associated landscaping would significantly affect the groundwater basin, the Director of Planning, Building, and Environmental Services shall be authorized to recommend additional reasonable conditions on the

permittee, or revocation of this permit, as necessary to meet the requirements of the Napa County Groundwater Ordinance and protect public health, safety, and welfare. That recommendation shall not become final unless and until the Director has provided notice and the opportunity for hearing in compliance with the Napa County Code § 13.15.070 (G-K).

- c. The Report required by these conditions shall verify that the winery water use assumptions and the actual winery water use are consistent with the usage and assumptions analyzed in the Water Availability Analysis prepared by Delta Consulting for the Dalla Valle Winery Permit, dated August 24, 2015 Revised September 3, 2015 (the "WAA"). Pursuant to the WAA, the annual water budget for the winery is 0.597 acre/feet (the "Water Budget"). If the actual winery water usage is greater than the Water Budget, the Report shall analyze whether the increased water usage is likely to have potentially significant adverse environmental impacts and shall recommend ways in which water usage can be reduced so as not to exceed the Water Budget the following year. All recommendations shall be immediately implemented to the satisfaction of the PBES Director.

13.2 NOISE

Construction noise shall be minimized to the greatest extent practical and allowable under State and local safety laws. Construction equipment muffling and hours of operation shall be in compliance with County Code Chapter 8.16. Equipment shall be shut down when not in use. Construction equipment shall normally be staged, loaded, and unloaded on the project site. If project terrain or access road conditions require construction equipment to be staged, loaded, or unloaded off the project site (such as on a neighboring road or at the base of a hill), such activities shall only occur between the hours of 8 AM to 5 PM. Exterior winery equipment shall be enclosed or muffled and maintained so as not to create a noise disturbance in accordance with the County Code. There shall be no amplified sound system or amplified music utilized outside of approved, enclosed, winery buildings.

14.0 ARCHEOLOGICAL FINDING

In the event that archeological artifacts or human remains are discovered during construction, work shall cease in a 50-foot radius surrounding the area of discovery. The permittee shall contact the PBES Department for further guidance, which will likely include the requirement for the permittee to hire a qualified professional to analyze the artifacts encountered and to determine if additional measures are required.

If human remains are encountered during the development, all work in the vicinity must be, by law, halted, and the Napa County Coroner informed, so that the Coroner can determine if an investigation of the cause of death is required, and if the remains are of Native American origin. If the remains are of Native American origin, the nearest tribal relatives as determined by the State Native American Heritage Commission shall be contacted by the permittee to obtain recommendations for treating or removal of such remains, including grave goods, with appropriate dignity, as required under Public Resources Code Section 5097.98.

15.0 ADDRESSING

All project site addresses shall be determined by the PBES Director, and be reviewed and approved by the United States Post Office, prior to issuance of any building permit. The PBES Director reserves the right to issue or re-issue an appropriate situs address at the time of issuance of any building permit to ensure proper identification and sequencing of numbers. For multi-tenant or multiple structure projects, this includes building permits for later building modifications or tenant improvements.

16.0 INDEMNIFICATION

If an indemnification agreement has not already been signed and submitted, one shall be signed and returned to the County within twenty (20) days of the granting of this approval using the PBES Department's standard form.

17.0 AFFORDABLE HOUSING MITIGATION

Prior to County issuance of a building permit, the applicant shall pay the Napa County Affordable Housing Mitigation Fee in accordance with the requirements of County Code Chapter 18.107.

18.0 MONITORING COSTS

All staff costs associated with monitoring compliance with these conditions, previous permit conditions, and project revisions shall be borne by the permittee and/or property owner. Costs associated with conditions and mitigation measures that require monitoring, including investigation of complaints, other than those costs related to investigation of complaints of non-compliance that are determined to be unfounded, shall be charged to the owner. Costs shall be as established by resolution of the Board of Supervisors in accordance with the hourly consulting rate established at the time of the monitoring and shall include maintenance of a \$500 deposit for construction compliance monitoring that shall be retained until grant of Final Certificate of Occupancy. Violations of conditions of approval or mitigation measures caused by the permittee's contractors, employees, and/or guests are the responsibility of the permittee.

The Planning Commission may implement an audit program if compliance deficiencies are noted. If evidence of compliance deficiencies is found to exist by the Commission at some time in the future, the Commission may institute the program at the applicant's expense (including requiring a deposit of funds in an amount determined by the Commission) as needed until compliance assurance is achieved. The Planning Commission may also use the data, if so warranted, to commence revocation hearings in accordance with County Code Section 18.124.120.

19.0 TEMPORARY AND FINAL OCCUPANCY

All project improvements, including compliance with applicable codes, conditions, and requirements of all departments and agencies with jurisdiction over the project, shall be completed prior to granting of a Final Certificate of Occupancy by the County Building Official, which, upon granting, authorizes all use permit activities to commence. However, a Temporary Certificate of Occupancy may be granted pursuant to County Code Section 15.08.070(B) to allow commencement of production activities prior to completion of all project improvements. In special circumstances, departments and/or agencies with jurisdiction over the project are authorized as part of the Temporary Certificate of Occupancy process to require a security deposit or other financial instrument to guarantee completion of unfinished improvements.

20.0 STATUTORY AND CODE SECTION REFERENCES

All references to statutes and code sections shall refer to their successor as those sections or statutes may be subsequently amended from time to time.

21.0 PAYMENT OF FEES AS PREREQUISITE FOR ISSUANCE OF PERMITS

No building, grading or sewage disposal permits shall be issued or other permits authorized until all accrued planning permit processing fees have been paid in full.

22.0 PREVIOUS CONDITIONS

As applicable, the permittee shall comply with any previous conditions of approval for the winery use except as they may be explicitly modified by this action. To the extent there is a conflict between previous conditions of approval and these conditions of approval, these conditions shall control.



A Tradition of Stewardship
A Commitment to Service

Planning, Building & Environmental Services

1195 Third Street, Suite 210
Napa, CA 94559
www.countyofnapa.org

David Morrison
Director

MEMORANDUM

To: Emily Hedge Planning Division	From: Patrick C. Ryan Engineering Service
Date: September 15, 2015	Re: Permit No. P14-00121 Dalla Valle Vineyards Conditions of Approval APN: 031-060-027

Handwritten signature of Patrick C. Ryan and the date 09/15/15.

The County of Napa Planning, Building, and Environmental Services Department (PBES), Engineering Division has received a referral for comments on a Use Permit application, generally requesting the following:

To add a new 4,760 barrel building, modify the covered outdoor production area. The request also includes an exception to the road and street standards

After careful review of the Dalla Valle Vineyards Winery Use Permit application the Engineering Division has determined that all items are complete and sufficiently detailed. As long as no additional changes are made to the proposed improvements this Division recommends approval of the project with the following conditions:

EXISTING CONDITIONS:

1. The County of Napa parcel 031-060-027 is located at 7776 Silverado Trail, Napa County, CA.
2. The existing parcel is currently zoned AW, Agricultural Watershed District.
3. The existing property is a developed parcel with existing dwelling units, barn, commercial winery, vineyards and associated infrastructure
4. Current access to the property is via a common driveway of approximately 3,800 feet from the intersection of Silverado Trail and an existing private driveway of approximately 800 feet from the intersection of the common driveway to its terminus at the winery facility.
5. The existing parcel is part of the Napa River Watershed, Napa River – Conn Creek Lower Reach tributary.

RECOMMENDED CONDITIONS:

Planning Division
(707) 253-4417

Building Division
(707) 253-4417

Engineering & Conservation
(707) 253-4417

Environmental Health
(707) 253-4471

Parks & Open Space
(707) 259-5933

ROAD & STREET STANDARDS:

1. All roadway construction shall be permitted and completed prior to issuance of the proposed winery facilities occupancy.
2. All roadway construction associated with this application shall conform to the Road Exception Evaluation composed by this Division, dated August 13, 2015, enclosed herein, and per the accepted construction and inspection practices defined in Federal, State and Local codes.
3. Any roadway, proposed new or reconstructed, not included in the above mentioned Road Exception Evaluation shall meet the requirements for a Commercial, Industrial, Non-Residential driveway. Provide a minimum of 18-foot wide driveway with 2-feet of shoulder from the publicly maintained road to the improved the improved structure. Pavement structural sections shall be determined by the designed Traffic Index. The minimum structural section shall be 2-inches of hot mix asphalt (HMA) over 5-inches of Class II Aggregate Base (AB) or an engineered equivalent section in accordance with Section 27 of the 2011 Napa County Road and Street Standards (RSS). All residential, agricultural, and fire lane access shall be clearly identified with signage, as proposed in the Use Permit Plan submittal, Sheet UP4, and meet the minimum design criteria for classified access roadway per the current RSS.
4. Any proposed or required new/reconstructed parking shall meet the requirements outlined in the current Napa County RSS, Section 9 and/or Detail D-8, page 82.
5. The developer shall obtain an encroachment permit prior to any work performed within the Napa County right-of-way.

SITE IMPROVEMENTS:

6. All on site civil improvements proposed including but not limited to the excavation, fill, general grading, drainage, curb, gutter, surface drainage, storm drainage, parking, and drive isles, shall be constructed according to plans prepared by a registered civil engineer, which will be reviewed and approved by the Napa County PBES Department Engineering Division prior to the commencement of any on site land preparation or construction. Plans shall be wet signed and submitted with the building and/or grading permit documents at the time of permit application. A plan check fee will apply.
7. Proposed drainage for the development shall be shown on the improvement plans and shall be accomplished to avoid the diversion or concentration of storm water runoff onto adjacent properties. Plan shall also indicate the path and changes in runoff.
8. Grading and drainage improvements shall be constructed according to the current Napa County RSS, Napa County Stormwater Program, and the California Building Code (CBC). Specifically, all cut and fill slopes shall be setback to meet the latest CBC.
9. If excess material is generated that cannot be used onsite, the Owner shall furnish to the Napa County PBES Department Engineering Division evidence that the Owner has entered into agreements with the property owners of the site involved and has obtained the permits, licenses and clearances prior to commencing any off-hauling operations.

CONSTRUCTION SITE RUNOFF CONTROL REQUIREMENTS:

10. Any Project that requires a building or grading permit shall comply with Napa County's Stormwater Management and Discharge Control Ordinance No. 1400, Napa County Code Section 16.28.
11. All earth disturbing activities shall include measures to prevent erosion, sediment, and waste materials from leaving the site and entering waterways both during and after construction in conformance with Napa County Stormwater Ordinance 1240 and the latest adopted state regulations. Best Management Practices (BMPs) shall also be implemented to minimize dust at all times.
12. Any construction activity that equals or exceeds one acre of total disturbed area shall prepare a Stormwater Pollution Prevention Plan (SWPPP) in accordance with the regulations of California Regional Water Quality Control Board (CRWQB) and shall file a Notice of Intent (NOI) prior to commencement of any construction activity. The completed SWPPP shall be submitted to the Napa County PBES Department Engineering Division for review.
13. All hazardous materials stored and used on-site during construction that could cause water pollution (e.g. motor oil, cleaning chemicals, paints, concrete, etc.) shall be stored and used in a manner that will not cause pollution, with secondary containment provided. Such storage areas shall be regularly cleaned to remove litter and debris. Any spills shall be promptly cleaned up and appropriate authorities notified.
14. All trash enclosures must be covered and protected from rain, roof, and surface drainage.
15. The property owner shall inform all individuals, who will take part in the construction process, of these requirements.

POST-CONSTRUCTION RUNOFF MANAGEMENT REQUIREMENTS:

16. The proposed development is categorized as a Regulated Project under Napa County's BASMAA Post-Construction Manual. Regulated Projects are proposed developments that create or replace 5,000 sf or more of impervious surface and shall meet the following requirements and shall incorporate all proposed development including but not limited to commercial development, access from Public Right-of-way, and all associated infrastructure:
 - a) Route runoff to Bioretention or other facilities sized and designed according to the criteria in Chapter 4, Napa County's BASMAA Post-Construction Manual.
 - b) Identify potential sources of pollutants and implement corresponding source control measures in Appendix A of the Napa County's BASMAA Post-Construction Manual.
 - c) Provide ongoing maintenance of Bioretention facilities (if applicable).
 - d) Prepare and submit the Stormwater Control Plan for a Regulated Project per Chapter 3, Napa County's BASMAA Post-Construction Manual, at the time development permits are applied for. A template may be found in Appendix D.
17. Provide concrete stamping, or equivalent, of all stormwater conveyance system inlets and catch basins within the project area with prohibitive language (e.g., "No Dumping – Drains to Napa River"). Signage shall identify the receiving water the drain discharges to and include a message in Spanish. It is prohibited to discharge of materials of than stormwater to storm drains or to store or deposit materials so as to create a potential discharge to storm drains.

18. Trash storage areas shall be paved with an impervious surface, designed not to allow run-on from adjoining areas, and screened or walled to prevent off-site transport of trash. Trash storage areas must contain a roof or awning to minimize direct precipitation or contain attached lids on all trash containers that exclude rain.
19. All roofs, gutters, and/or downspouts made of copper or other unprotected metals shall discharge to the approved Bioretention facility as described in the approved Stormwater Control Plan and maintained appropriately to prevent soil erosion.
20. Outdoor material storage areas which contain smaller quantities of materials and waste (e.g. pesticides, fertilizers, etc.) with the potential to contaminate stormwater must be placed in an enclosure such as a cabinet, shed, or similar structure that prevents contact with runoff or spillage to the stormwater conveyance system.
21. Outdoor material and equipment storage areas which contain materials and/or waste associated with wine production and process is prohibited and shall be stored under cover and in an area designed to preclude stormwater run-on and temporarily covered with tarps during rain events.
22. Storage areas for liquid materials and water must have a permanent cover to keep rainwater out of the storage area and protected by secondary containment structures such as berms, dikes or curbs.
23. Processing areas, including but not limited to wine grape crushing/pressing, juice fermentation, blending and fining, filtration and bottling, shall be paved and performed indoors; installation of storm drains in processing areas is prohibited. For processing areas that generate liquid wastes, slope the area to a drain an approved collection system.
24. Interior floor drains shall be plumbed to the sanitary sewer system or closed loop system and shall not be connected to storm drains.

ANY CHANGES IN USE MAY NECESSITATE ADDITIONAL CONDITIONS FOR APPROVAL.

If you have any questions regarding the above items please contact Patrick Ryan from Napa County PBES Department Engineering Division at (707) 253.4892 or via e-mail at Patrick.Ryan@countyofnapa.org. For groundwater questions, please contact Anna Maria Martinez at (707) 259.8600.

