

“B”

**Recommended Conditions of Approval
and Final Agency Approval Memos**

**PLANNING COMMISSION HEARING – OCTOBER 4, 2017
CONDITIONS OF APPROVAL**

**Paul Hobbs – Nathan Coombs Winery
Use Permit No. P15-00128-UP
2184 Imola Avenue, Napa, California
APN #046-351-001; and 016**

This permit encompasses and shall be limited to the project commonly known as **Paul Hobbs – Nathan Coombs Winery**, located at **2184 Imola Avenue**. Part I encompasses the Project Scope and general conditions pertaining to statutory and local code references, project monitoring, and the process for any future changes or activities. Part II encompasses the ongoing conditions relevant to the operation of the project. Part III encompasses the conditions relevant to construction and the prerequisites for a Final Certificate of Occupancy. It is the responsibility of the permittee to communicate the requirements of these conditions and mitigations (if any) to all designers, contractors, employees, and guests of the winery to ensure compliance is achieved.

Where conditions are not applicable or relevant to this project, they shall be noted as “Reserved” and therefore have been removed.

When modifying a legally established entitlement related to this project, these conditions are not intended to be retroactive or to have any effect on existing vested rights except where specifically indicated.

PART I

1.0 PROJECT SCOPE

The permit encompasses and shall be limited to:

- 1.1 Approval of a Use Permit for a 60,000 gallon per year winery to allow the following:
 - a. Construction of two winery buildings, totaling 19,250 square feet in area to include: a 10,820 square foot winery building (Phase 1) with a 8,040 square foot production area (storage, mechanical equipment room, fermentation room, barrel storage, lab, and 2,210 square foot covered crush area); 2,780 square feet of accessory use area (kitchen, tasting room, hallway, and 1,390 square foot porch area); with a maximum building height of approximately 35 feet. Phase 2 would include the construction of a 14,835 square foot winery building with 13,825 square feet of production area (barrel storage, fermentation, wine library, case goods/cold room and 2,265 square foot covered crush area), 1,010 square foot of accessory use area (break room, offices, and copy room);
 - b. Demolition of an existing agricultural building and removal of approximately 1.41 acres of vineyards;

- c. Visitation, tours and tasting, and a marketing plan as set forth in Conditions of Approval (COAs) Nos. 4.1 through 4.3 below;
- d. On-premises consumption of wine as set forth in COA No. 4.4 below;
- c. Hours of operation 7:00 am to 6:00 pm (production hours, except during harvest) and 10:30 am to 5:00 pm (visitation hours), 7-days a week. All events to conclude by 10 pm;
- e. Maximum number of employees; 9 full-time employees;
- f. Number of parking spaces; 17 parking spaces (15 standard spaces and two ADA spaces) and 27 event overflow spaces;
- g. Installation of a waste water system;
- h. Installation of a community water system;
- i. Installation of landscaping;
- j. Construction of one new driveway to access Fourth Avenue; and
- k. Installation of one 3,000 gallon water storage tank.

The winery shall be designed in substantial conformance with the submitted site plan, elevation drawings, and other submittal materials and shall comply with all requirements of the Napa County Code (the County Code). It is the responsibility of the permittee to communicate the requirements of these conditions and mitigations (if any) to all designers, contractors, employees, and guests of the winery to ensure compliance is achieved. Any expansion or change in winery use or alternative locations for fire suppression or other types of water tanks shall be approved in accordance with the County Code and may be subject to the permit modification process.

2.0 STATUTORY AND CODE SECTION REFERENCES

All references to statutes and code sections shall refer to their successor as those sections or statutes may be subsequently amended from time to time.

3.0 MONITORING COSTS

All staff costs associated with monitoring compliance with these conditions, previous permit conditions, and project revisions shall be borne by the permittee and/or property owner. Costs associated with conditions of approval and mitigation measures that require monitoring, including investigation of complaints, other than those costs related to investigation of complaints of non-compliance that are determined to be unfounded, shall be charged to the property owner or permittee. Costs shall be as established by resolution of the Board of Supervisors in accordance with the hourly consulting rate established at the time of the monitoring and shall include maintenance of a \$500 deposit for construction compliance monitoring that shall be retained until issuance of a Final Certificate of Occupancy. Violations of conditions of approval or mitigation measures caused by the permittee's contractors, employees, and/or guests are the responsibility of the permittee.

The Planning Commission may implement an audit program if compliance deficiencies are noted. If evidence of a compliance deficiency is found to exist by the Planning Commission at some time in the future, the Planning Commission may institute the program at the applicant's expense (including requiring a deposit of funds in an amount determined by the Commission) as needed until compliance assurance is achieved. The

Planning Commission may also use the data, if so warranted, to commence revocation proceedings in accordance with the County Code.

PART II

4.0 OPERATIONAL CHARACTERISTICS OF THE PROJECT

Permittee shall comply with the following during operation of the winery:

4.1 GENERAL PROVISIONS

Consistent with the County Code, tours and tastings and marketing may occur at a winery only where such activities are accessory and “clearly incidental, related, and subordinate to the primary operation of the winery as a production facility.”

Tours and tastings (defined below) may include food and wine pairings, where all such food service is provided without charge except to the extent of cost recovery and is incidental to the tasting of wine. Food service may not involve menu options and meal service such that the winery functions as a café or restaurant.

Retail sales of wine shall be permitted as set forth in the County Code.

4.2 TOURS AND TASTINGS/VISITATION

Tours and tastings shall be by appointment only and shall be limited to the following:

- a. Frequency: Seven days per week, Monday through Sunday
- b. Maximum number of persons per day: 30
- c. Maximum number of persons per week: 210
- d. Hours of visitation: 10:30 am to 5:00 pm

“Tours and tastings” means tours of the winery and/or tastings of wine, where such tours and tastings are limited to persons who have made unsolicited prior appointments for tours or tastings. To the maximum extent feasible, scheduling of visitors shall not occur during peak travel times of 3:00 pm to 6:00 pm weekdays and 3:00 pm to 6:00 pm weekends.

A log book (or similar record) shall be maintained to document the number of visitors to the winery (for either tours and tastings or marketing events), and the dates of the visits. This record of visitors shall be made available to the Planning, Building and Environmental Services (PBES) Department upon request.

4.3 MARKETING

Marketing events shall be limited to the following:

- a. **Marketing Event 1**

1. Frequency: 2 times per year
2. Maximum number of persons: 50
3. Time of Day: 11:00 am to 10:00 pm

b. **Marketing Event 2**

1. Frequency: 2 times per year
2. Maximum number of persons: 100
3. Time of Day: 11:00 am to 10:00 pm

c. All food to be catered

"Marketing of wine" means any activity of a winery which is conducted at the winery on a prearranged basis for the education and development of customers and potential customers with respect to wine which can be sold at the winery on a retail basis pursuant to the County Code. Marketing of wine may include cultural and social events directly related to the education and development of customers and potential customers provided such events are clearly incidental, related and subordinate to the primary use of the winery. Marketing of wine may include food service, including food and wine pairings, where all such food service is provided without charge except to the extent of cost recovery.

Business events are similar to cultural and social events, in that they will only be considered as "marketing of wine" if they are directly related to the education and development of customers and potential customers of the winery and are part of a marketing plan approved as part of the winery's Use Permit. To be considered directly related to the education and development of customers or potential customers of the winery, business events must be conducted at no charge except to the extent of cost recovery, and any business content unrelated to wine must be limited.

Careful consideration shall be given to the intent of the event, the proportion of the business event's non-wine-related content, and the intensity of the overall marketing plan (County Code).

All marketing event activity, excluding quiet clean-up, shall cease by 10:00 pm. If any event is held which will exceed the available on-site parking, the permittee shall prepare an event-specific parking plan which may include, but not be limited to, valet service or off-site parking and shuttle service to the winery.

Auction Napa Valley (ANV) events need not be included in a participating winery's marketing plan because they are covered by ANV's Category 5 Temporary Permit. The winery may utilize any ANV event authorized in this permit for another charitable event of similar size.

4.4 **ON-PREMISES CONSUMPTION**

In accordance with State law and the PBES Director's July 17, 2008 memo, "Assembly Bill 2004 (Evans) & the Sale of Wine for Consumption On-Premises," on-premises consumption of wine produced on-site and purchased from the

winery may occur solely in the tasting room (775 square feet) and porch area. Any and all visitation associated with on-premises consumption shall be subject to the maximum per person weekday and weekend daily tours and tastings visitation limitation and/or applicable limitations of permittee's marketing plan set forth in COA Nos.4.2 and 4.3 above.

4.5 RESIDENCE OR NON-WINERY STRUCTURES **[RESERVED]**

4.6 GRAPE SOURCE

At least 75% of the grapes used to make the winery's still wine or the still wine used by the winery to make sparkling wine shall be grown within Napa County. The permittee shall keep records of annual production documenting the source of grapes to verify that 75% of the annual production is from Napa County grapes. The report shall recognize the Agriculture Commission's format for County of origin of grapes and juice used in the Winery Production Process. The report shall be provided to the PBES Department upon request, but shall be considered proprietary information and not available to the public.

4.7 COMPLIANCE REVIEW

Permittee shall obtain and maintain all permits (use permits and modifications) and licenses from the California Department of Alcoholic Beverage Control (ABC) and United States Tax and Trade Bureau (TTB), and California Department of Food and Agriculture (CDFA) Grape Crush Inquiry data, all of which are required to produce and sell wine. In the event the required ABC and/or TTB permits and/or licenses are suspended or revoked, permittee shall cease marketing events and tours and tastings until such time as those ABC and/or TTB permits and licenses are reinstated.

Visitation log books, visitor reports, custom crush client records, and any additional documentation determined by Staff to be necessary to evaluate compliance may be requested by the County for any code compliance. The permittee (and their successors) shall be required to participate fully in the winery code compliance review process.

4.8 RENTAL/LEASING

No winery facilities, or portions thereof, including, without limitation, any kitchens, barrel storage areas, or warehousing space, shall be rented, leased, or used by entities other than persons producing and/or storing wine at the winery, such as alternating proprietors and custom producers, except as may be specifically authorized in this Permit or pursuant to the Temporary Events Ordinance (County Code Chapter 5.36).

4.9 GROUND WATER MANAGEMENT - WELLS

This condition is implemented jointly by the Public Works and PBES Departments:

The permittee shall be required (at the permittee's expense) to record well monitoring data (specifically, static water level no less than quarterly, and the

volume of water no less than monthly). Such data will be provided to the County, if the PBES Director determines that substantial evidence¹ indicates that water usage at the winery is affecting, or would potentially affect, groundwater supplies or nearby wells. If data indicates the need for additional monitoring, and if the applicant is unable to secure monitoring access to neighboring wells, onsite monitoring wells may need to be established to gauge potential impacts on the groundwater resource utilized for the project. Water usage shall be minimized by use of best available control technology and best water management conservation practices.

In order to support the County's groundwater monitoring program, well monitoring data as discussed above will be provided to the County if the Director of Public Works determines that such data could be useful in supporting the County's groundwater monitoring program. The project well will be made available for inclusion in the groundwater monitoring network if the Director of Public Works determines that the well could be useful in supporting the program.

In the event that changed circumstances or significant new information provide substantial evidence¹ that the groundwater system referenced in the Use Permit would significantly affect the groundwater basin, the PBES Director shall be authorized to recommend additional reasonable conditions on the permittee, or revocation of this permit, as necessary to meet the requirements of the County Code and to protect public health, safety, and welfare.

4.10 AMPLIFIED MUSIC

There shall be no amplified sound system or amplified music utilized outside of approved, enclosed, winery buildings.

4.11 TRAFFIC

To the maximum extent feasible, scheduling of reoccurring vehicle trips to and from the site for employees and deliveries shall not occur during peak travel times (4:00 pm to 6:00 pm weekdays; 2:00 pm to 4:00 pm Saturdays and Sundays). All road improvements on private property required per Engineering Services shall be maintained in good working condition and in accordance with the Napa County Roads and Streets Standards.

4.12 PARKING

The location of visitor parking and truck loading zone areas shall be identified along with proposed circulation and traffic control signage (if any).

¹ Substantial evidence is defined by case law as evidence that is of ponderable legal significance, reasonable in nature, credible and of solid value. The following constitute substantial evidence: facts, reasonable assumptions predicated on facts; and expert opinions supported by facts. Argument, speculation, unsubstantiated opinion or narrative, or clearly inaccurate or erroneous information do not constitute substantial evidence.

Parking shall be limited to approved parking spaces only and shall not occur along access or public roads or in other locations except during harvest activities and approved marketing events. In no case shall parking impede emergency vehicle access or public roads.

4.13 BUILDING DIVISION – USE OR OCCUPANCY CHANGES

Please contact the Building Division with any questions regarding the following:

In accordance with the California Building Code (CBC), no change shall be made in the use of occupancy of an existing building unless the building is made to comply with the requirements of the current CBC for a new building.

4.14 FIRE DEPARTMENT – TEMPORARY STRUCTURES

Please contact the Fire Department with any questions regarding the following:

The permittee and/or designee shall obtain a tent permit from the Fire Department for any temporary structures utilized for authorized marketing events allowed per COA No. 4.3 above.

4.15 NAPA COUNTY MOSQUITO ABATEMENT PROGRAM

The installation, operation and maintenance of the reservoir shall be in conformance with the Napa County Mosquito Abatement District's program for eliminating mosquito sources and managing mosquito-breeding areas in order to reduce mosquitoes to a tolerable and healthful level.

4.16 GENERAL PROPERTY MAINTENANCE – LIGHTING, LANDSCAPING, PAINTING, OUTDOOR EQUIPMENT STORAGE, AND TRASH ENCLOSURE AREAS

- a. All lighting shall be permanently maintained in accordance with the lighting and building plans approved by the County. Lighting utilized during harvest activities is exempt from this requirement.
- b. All landscaping and outdoor screening, storage, and utility structures shall be permanently maintained in accordance with the landscaping and building plans approved by the County. No stored items shall exceed the height of the screening. Exterior winery equipment shall be maintained so as to not create a noise disturbance or exceed noise thresholds in the County Code.
- c. The colors used for the roof, exterior walls and built landscaping features of the winery shall be limited to earth tones that will blend the facility into the colors of the surrounding site specific vegetation. The permittee shall obtain the written approval of the Planning Division prior to any change in paint colors that differs from the approved building permit. Highly reflective surfaces are prohibited.
- d. Designated trash enclosure areas shall be made available and properly maintained for intended use.

4.17 NO TEMPORARY SIGNS

Temporary off-site signage, such as “A-Frame” signs, is prohibited.

4.18 COMPLIANCE WITH OTHER DEPARTMENTS AND AGENCIES – OPERATIONAL CONDITIONS

The attached project conditions of approval include all of the following County Divisions, Departments and Agencies’ requirements. Without limiting the force of those other requirements which may be applicable, the following are incorporated by reference as enumerated herein:

- a. Engineering Services Division operational conditions as stated in their Memorandum dated March 16, 2017.
- b. Environmental Health Division operational conditions as stated in their Memorandum dated May 30, 2017.
- c. Building Division operational conditions as stated in their Memorandum dated May 19, 2015.
- d. Department of Public Works operational conditions as stated in their Memorandum dated July 25, 2016.
- e. Fire Department operational conditions as stated in their Inter-Office Memo dated May 19, 2015.

The determination as to whether or not the permittee has substantially complied with the requirements of other County Divisions, Departments and Agencies shall be determined by those County Divisions, Departments or Agencies. The inability to substantially comply with the requirements of other County Divisions, Departments and Agencies may result in the need to modify this permit.

4.19 OPERATIONAL MITIGATION MEASURES **[RESERVED]**

4.20 OTHER CONDITIONS APPLICABLE TO THE OPERATIONAL ASPECTS OF THE PROJECT

- a. Any landscape plantings near the project driveway entrance shall be maintained to be three feet in height or less to maintain clear sight distance lines.

4.21 PREVIOUS CONDITIONS **[RESERVED]**

PART III

5.0 PREREQUISITE FOR ISSUANCE OF PERMITS

5.1 PAYMENT OF FEES

No building, grading or sewage disposal permits shall be issued or other permits authorized until all accrued planning permit processing fees have been paid in full. This includes all fees associated with plan check and building inspections, associated development impact fees established by County Ordinance or Resolution, and the Napa County Affordable Housing Mitigation Fee in accordance with County Code.

6.0 GRADING/DEMOLITION/ENVIRONMENTAL/BUILDING PERMIT/OTHER PERMIT PREREQUISITES

Permittee shall comply with the following with the submittal of a grading, demolition, environmental, building and/or other applicable permit applications.

6.1 COMPLIANCE WITH OTHER DEPARTMENTS AND AGENCIES – PLAN REVIEW, CONSTRUCTION AND PREOCCUPANCY CONDITIONS

The attached project conditions of approval include all of the following County Divisions, Departments and Agencies' requirements. The permittee shall comply with all applicable building codes, zoning standards, and requirements of County Divisions, Departments and Agencies at the time of submittal and may be subject to change. Without limiting the force of those other requirements which may be applicable, the following are incorporated by reference as enumerated herein:

- a. Engineering Services Division plan review/construction/ preoccupancy conditions as stated in their Memorandum dated March 16, 2017.
- b. Environmental Health Division plan review/construction/ preoccupancy conditions as stated in their Memorandum dated May 30, 2017.
- c. Building Division plan review/construction/ preoccupancy conditions as stated in their Memorandum dated May 19, 2015.
- d. Department of Public Works plan review/construction/ preoccupancy conditions as stated in their Memorandum dated July 25, 2016.
- e. Fire Department plan review/construction/ preoccupancy conditions as stated in their Inter-Office Memo dated May 19, 2015.

The determination as to whether or not the permittee has substantially complied with the requirements of other County Divisions, Departments and Agencies shall be determined by those County Divisions, Departments or Agencies. The inability to substantially comply with the requirements of other County Divisions, Departments and Agencies may result in the need to modify the permit.

6.2 BUILDING DIVISION – GENERAL CONDITIONS

- a. A building permit shall be obtained for all construction occurring on the site not otherwise exempt by the California Building Code (CBC) or any State or local amendment adopted thereto.

- b. If there are any existing structures and/or buildings on the property that will need to be removed to accommodate construction activities, a separate demolition permit shall be required from the Building Division prior to removal. The permittee shall provide a “J” number from the Bay Area Air Quality Management District (BAAQMD) at the time the permittee applies for a demolition permit if applicable.
- c. All areas of newly designed and newly constructed buildings, facilities and on-site improvements must comply with the CBC accessibility requirements, as well as, American with Disability Act requirements when applicable. When alterations or additions are made to existing buildings or facilities, an accessible path of travel to the specific area of alteration or addition shall be provided as required per the CBC.

6.3 LIGHTING – PLAN SUBMITTAL

- a. Two (2) copies of a detailed lighting plan showing the location and specifications for all lighting fixtures to be installed on the property shall be submitted for Planning Division review and approval. All lighting shall comply with the CBC.
- b. All exterior lighting, including landscape lighting, shall be shielded and directed downward, shall be located as low to the ground as possible, shall be the minimum necessary for security, safety, or operations; on timers; and shall incorporate the use of motion detection sensors to the greatest extent practical. All lighting shall be shielded or placed such that it does not shine directly on adjacent properties or impact vehicles on adjacent streets. No flood-lighting or sodium lighting of the building is permitted, including architectural highlighting and spotting. Low-level lighting shall be utilized in parking areas as opposed to elevated high-intensity light standards. Lighting utilized during harvest activities is exempt from this requirement.

6.4 LANDSCAPING – PLAN SUBMITTAL

- a. Two (2) copies of a detailed final landscaping and irrigation plan, including parking details, shall be submitted with the building permit application package for the Planning Division’s review and approval prior to the issuance of any building permit associated with this Use Permit. The plan shall be prepared pursuant to the County’s Water Efficient Landscape Ordinance (Chapter 18.118 of the County Code) requirements in effect at the time of building permit application submittal, as applicable, and shall indicate the names and locations of all plant materials to be used along with their method of maintenance.
- b. Plant materials shall be purchased locally when practical, and to the greatest extent possible, the plant materials shall be the same native plants found in Napa County. The Agricultural Commissioner’s office shall be notified of all impending deliveries of live plants with points of origin outside of Napa County.

- c. No trees greater than 6" diameter at breast height shall be removed, except for those identified on the submitted site plan. Any Oak trees removed as a result of the project shall be replaced at a 2:1 ratio and shown on the landscaping plans for the Planning Division's review and approval. Trees to be retained shall be protected during construction by fencing securely installed at the outer most dripline of the tree or trees. Such fencing shall be maintained throughout the duration of the work undertaken in connection with the winery development/construction. In no case shall construction material, debris or vehicles be stored in the fenced tree protection area.
- d. Evergreen screening shall be installed between the industrial portions of the operation (e.g. tanks, crushing area, parking area, etc.) and any off-site residence from which these areas can be viewed.

6.5 COLORS

The colors used for the roof, exterior walls and built landscaping features of the winery shall be limited to earth tones that will blend the facility into the colors of the surrounding site specific vegetation. The permittee shall obtain the written approval of the Planning Division in conjunction with building permit review and/or prior to painting the building. Highly reflective surfaces are prohibited.

6.6 OUTDOOR STORAGE/SCREENING/UTILITIES

- a. Details of outdoor storage areas and structures shall be included on the building and landscape plans. All outdoor storage of winery equipment shall be screened from the view of residences of adjacent properties by a visual barrier consisting of fencing or dense landscaping. No stored item shall exceed the height of the screening. Water and fuel tanks, and similar structures, shall be screened to the extent practical so as to not be visible from public roads and adjacent parcels.
- b. New utility lines required for this project that are visible from any designated scenic transportation route (see Community Character Element of the General Plan and the County Code) shall be placed underground or in an equivalent manner be made virtually invisible from the subject roadway.
- c. Exterior winery equipment shall be located, enclosed or muffled so as not to exceed noise thresholds in the County Code.

6.7 TRASH ENCLOSURES

Adequate area must be provided for collection and loading of garbage and recyclables generated by the project. The applicant must work with the franchised garbage hauler for the service area in which they are located, in order to determine the area and the pedestrian and vehicle access needed for the collection site. The garbage and recycling enclosure shall meet the minimum enclosure requirements established by staff and the franchised hauler, which shall be included in the building permit submittal.

6.8 ADDRESSING

All project site addresses shall be determined by the PBES Director, and be reviewed and approved by the United States Post Office. The PBES Director reserves the right to issue or re-issue an appropriate situs address at the time of issuance of any building permit to ensure proper identification and sequencing of numbers. For multi-tenant or multiple structure projects, this includes building permits for later building modifications or tenant improvements.

6.9 HISTORIC RESOURCES **[RESERVED]**

6.10 DEMOLITION ACTIVITIES

- a. Final demolition plans of the agricultural building shall be submitted for building permit issuance. A site plan prepared by a qualified professional shall denote streams, stream setbacks, existing and proposed improvements and slopes. No new construction or earthmoving activities are allowed within established stream setbacks unless specifically approved as part of this permit in COA No. 1.0 (Scope) above. As determined by the PBES Director or designee, temporary construction fencing shall be placed at the stream setback line to prevent unauthorized encroachments.

- b. A landscape plan or restoration plan for the demolition area (existing residential and accessory structures) shall be submitted showing how the area will be restored to its natural vegetation state to the extent feasible. The landscape plan shall be approved by the PBES Director or designee prior to installation.

6.11 VIEWSHED – EXECUTION OF USE RESTRICTION **[RESERVED]**

6.12 PERMIT PREREQUISITE MITIGATION MEASURES **[RESERVED]**

6.13 PARCEL CHANGE REQUIREMENTS **[RESERVED]**

6.14 FINAL MAPS **[RESERVED]**

6.15 OTHER CONDITIONS APPLICABLE TO THE PROJECT PERMITTING PROCESS **[RESERVED]**

7.0 PROJECT CONSTRUCTION

Permittee shall comply with the following during project construction:

7.1 **SITE IMPROVEMENTS**

Please contact Engineering Services with any questions regarding the following.

a. **GRADING AND SPOILS**

All grading and spoils generated by construction of the project facilities shall be managed per Engineering Services direction. Alternative locations for spoils are permitted, subject to review and approval by the

PBES Director, when such alternative locations do not change the overall concept, and do not conflict with any environmental mitigation measures or conditions of approval.

b. DUST CONTROL

Water and/or dust palliatives shall be applied in sufficient quantities during grading and other ground disturbing activities on-site to minimize the amount of dust produced. Outdoor construction activities shall not occur when average wind speeds exceed 20 mph.

c. AIR QUALITY

During all construction activities the permittee shall comply with the most current version of BAAQMD Basic Construction Best Management Practices including but not limited to the following, as applicable:

1. Post a publicly visible sign with the telephone number and person to contact at the lead agency regarding dust complaints. The BAAQMD's phone number shall also be visible.
2. Water all exposed surfaces (e.g., parking areas, staging areas, soil piles, grading areas, and unpaved access roads) two times per day.
3. Cover all haul trucks transporting soil, sand, or other loose material off-site.
4. Remove all visible mud or dirt traced onto adjacent public roads by using wet power vacuum street sweepers at least once per day. The use of dry power sweeping is prohibited.
5. All vehicle speeds on unpaved roads shall be limited to 15 mph.
6. All roadways, driveways, and sidewalks to be paved shall be completed as soon as possible. Building pads shall be laid as soon as possible after grading unless seeding or soil binders are used.
7. Idling times shall be minimized either by shutting off equipment when not in use or reducing the maximum idling time to five (5) minutes (as required by State Regulations). Clear signage shall be provided for construction workers at all access points.
8. All construction equipment shall be maintained and properly tuned in accordance with manufacturer's specifications. All equipment shall be checked by a certified visible emissions evaluator. Any portable engines greater than 50 horsepower or associated equipment operated within the BAAQMD's jurisdiction shall have either a California Air Resources Board (ARB) registration

Portable Equipment Registration Program (PERP) or a BAAQMD permit. For general information regarding the certified visible emissions evaluator or the registration program, visit the ARB FAQ http://www.arb.ca.gov/portable/perp/perpfact_04-16-15.pdf or the PERP website <http://www.arb.ca.gov/portable/portable.htm>.

d. **STORM WATER CONTROL**

The permittee shall comply with all construction and post-construction storm water pollution prevention protocols as required by the County Engineering Services Division, and the California Regional Water Quality Control Board.

7.2 **ARCHEOLOGICAL FINDING**

In the event that archeological artifacts or human remains are discovered during construction, work shall cease in a 50-foot radius surrounding the area of discovery. The permittee shall contact the PBES Department for further guidance, which will likely include the requirement for the permittee to hire a qualified professional to analyze the artifacts encountered and to determine if additional measures are required.

If human remains are encountered during project development, all work in the vicinity must be halted, and the Napa County Coroner informed, so that the Coroner can determine if an investigation of the cause of death is required, and if the remains are of Native American origin. If the remains are of Native American origin, the permittee shall comply with the requirements of Public Resources Code Section 5097.98.

7.3 **CONSTRUCTION NOISE**

Construction noise shall be minimized to the greatest extent practical and feasible under State and local safety laws, consistent with construction noise levels permitted by the General Plan Community Character Element and the County Noise Ordinance. Construction equipment muffling and hours of operation shall be in compliance with the County Code. Equipment shall be shut down when not in use. Construction equipment shall normally be staged, loaded, and unloaded on the project site, if at all practicable. If project terrain or access road conditions require construction equipment to be staged, loaded, or unloaded off the project site (such as on a neighboring road or at the base of a hill), such activities shall only occur daily between the hours of 8 am to 5 pm.

7.4 **CONSTRUCTION MITIGATION MEASURES [RESERVED]**

7.5 **OTHER CONSTRUCTION CONDITIONS APPLICABLE TO THE PROJECT PROPOSAL [RESERVED]**

8.0 TEMPORARY CERTIFICATE OF OCCUPANCY - PREREQUISITES

A Temporary Certificate of Occupancy (TCO) may be granted pursuant to the County Code to allow the commencement of production activities prior to completion of all

project improvements. Permittee shall comply with the following before a TCO is granted:

8.1 TEMPORARY OCCUPANCY

All life and safety conditions shall be addressed prior to issuance of a TCO by the County Building Official. TCOs shall not be used for the occupancy of hospitality buildings and shall not exceed the maximum time allowed by the County Code which is 180 days. Departments and/or agencies with jurisdiction over the project are authorized as part of the TCO process to require a security deposit or other financial instrument to guarantee completion of unfinished improvements.

9.0 FINAL CERTIFICATE OF OCCUPANCY – PREREQUISITES

Permittee shall comply with the following before a Final Certificate of Occupancy is granted by the County Building Official, which upon granting, authorizes all use permit activities to commence.

9.1 FINAL OCCUPANCY

All project improvements, including compliance with applicable codes, conditions, and requirements of all Departments and Agencies with jurisdiction over the project, shall be completed.

9.2 SIGNS

Detailed plans, including elevations, materials, color, and lighting for any winery identification or directional signs shall be submitted to the Department for administrative review and approval prior to installation. Administrative review and approval is not required if signage to be installed is consistent with signage plans submitted, reviewed and approved as part of this permit approval. All signs shall meet the design standards as set forth in the County Code. At least one legible sign shall be placed at the property entrance with the words “Tours and Tasting by Prior Appointment Only” to inform the public of same. Any off-site signs allowed shall be in conformance with the County Code.

9.3 GATES/ENTRY STRUCTURES

Any gate installed at the winery entrance shall be reviewed by the PBES Department and the Fire Department to assure that the design allows large vehicles, such as motorhomes, to turn around if the gate is closed without backing into the public roadway, and that fire suppression access is available at all times. If the gate is part of an entry structure an additional permit shall be required pursuant to the County Code and in accordance with the Napa County Roads and Street Standards. A separate entry structure permit is not required if the entry structure is consistent with entry structure plans submitted, reviewed, and approved as part of this permit approval.

9.4 LANDSCAPING

Landscaping shall be installed in accordance with the approved landscaping plan.

9.5 ROAD OR TRAFFIC IMPROVEMENT **[RESERVED]**

- 9.6 DEMOLITION ACTIVITIES
All demolition activities associated with the agricultural building shall be completed, landscaping installed, and debris cleared from the subject parcel.
- 9.7 GRADING SPOILS
All spoils shall be removed in accordance with the approved grading permit and/or building permit.
- 9.8 MITIGATION MEASURES APPLICABLE PRIOR TO ISSUANCE OF A FINAL CERTIFICATE OF OCCUPANCY **[RESERVED]**
- 9.9 OTHER CONDITIONS APPLICABLE PRIOR TO ISSUANCE OF A FINAL CERTIFICATE OF OCCUPANCY **[RESERVED]**



A Tradition of Stewardship
A Commitment to Service

David Morrison
Director

MEMORANDUM

To: Jason Hade Planning Division	From: Patrick Ryan Engineering Services
Date: March 16, 2017	Re: P15-00128 – Hobbs-Coombs Winery Conditions of Approval APN: 046-351-016

The Engineering and Conservation division (“Engineering”) has reviewed the use permit application P15-00128 for the Paul Hobbs – Nathan Coombs Winery located on assessor’s parcel number 046-351-016. In general the project proposes the following:

New 12,000 gallon per year production winery including the construction of 10,820sf winery building; new commercial access drive; tasting by appointment with maximum visitation to be 30 visitors per day; four (4) marketing events per year with 100 persons maximum; up to nine (9) full-time employees.

Based upon the information provided in the application, Engineering finds the application **complete** and recommends the following conditions of approval:

RECOMMENDED APPROVAL CONDITIONS:

ROAD & STREET STANDARDS:

1. Any roadway and/or parking areas, proposed new or reconstructed, shall meet the requirements for commercial access as defined in the 2016 Road and Street Standards (RSS), Revised Nov. 22, 2016.
2. All roadway improvements shall be completed prior to execution of any new entitlements approved under this Use Permit. The property owner shall obtain a grading permit for all proposed roadway improvements.

SITE IMPROVEMENTS:

3. The applicant shall apply for a grading permit application through Napa County Planning, Building, Environmental Services Department, Engineering Division for the proposed site development.
4. Construction, earthmoving activities, grading or removal of vegetation is prohibited within the stream setback areas per Napa County Conservation Regulations 18.108.025.

5. All on site civil improvements proposed including but not limited to the excavation, fill, general grading, drainage, surface drainage, storm drainage, and process wastewater conveyance shall be constructed according to plans prepared by a registered civil engineer, which will be reviewed and approved by the Napa County PBES Department Engineering Division prior to the commencement of any on site land preparation or construction. Plans shall be wet signed and submitted with the building and/or grading permit documents at the time of permit application. A plan check fee will apply.
6. Proposed drainage for the development shall be shown on the improvement plans and shall be accomplished to avoid the diversion or concentration of storm water runoff onto adjacent properties. Plan shall also indicate the path and changes in runoff.
7. Grading and drainage improvements shall be constructed according to the current Napa County Road and Street Standards, Chapter 16.28 [& Chapter 18.108.027] of the Napa County Code, and Appendix J of the California Building Code.
8. If excess material is generated that cannot be used onsite, the Owner shall furnish to the Napa County PBES Department Engineering Division evidence that the Owner has entered into an agreement(s) with the property owner(s) of the site involved and has obtained the permits, licenses and clearances prior to commencing any off-hauling operations.

CONSTRUCTION SITE RUNOFF CONTROL REQUIREMENTS:

9. All earth disturbing activities shall include measures to prevent erosion, sediment, and waste materials from leaving the site and entering waterways both during and after construction in conformance with Napa County Stormwater Ordinance 1400 and the latest adopted state regulations. Best Management Practices (BMPs) shall also be implemented to minimize dust at all times.
10. Any construction activity that equals or exceeds one acre of total disturbed area shall prepare a Stormwater Pollution Prevention Plan (SWPPP) in accordance with the regulations of California Regional Water Quality Control Board (CRWQB) and shall file a Notice of Intent (NOI) prior to commencement of any construction activity. The completed SWPPP shall be submitted to the Napa County PBES Department Engineering Division for review.
11. All hazardous materials stored and used on-site during construction that could cause water pollution (e.g. motor oil, cleaning chemicals, paints, concrete, etc.) shall be stored and used in a manner that will not cause pollution, with secondary containment provided. Such storage areas shall be regularly cleaned to remove litter and debris. Any spills shall be promptly cleaned up and appropriate authorities notified.
12. All trash enclosures must be covered and protected from rain, roof, and surface drainage.
13. The property owner shall inform all individuals, who will take part in the construction process, of these requirements.

POST-CONSTRUCTION RUNOFF MANAGEMENT REQUIREMENTS:

14. The proposed development is categorized as a Regulated Development Project under Napa County's BASMAA Post-Construction Manual and is required to meet the design criteria of the current Post-Construction Runoff Management / Low-Impact Development Requirements. A revised Stormwater Control Plan for Regulated Projects shall be submitted prior to any permit approval and shall comply with the site design measures, stormwater treatment and hydromodification, source control measures, and on-going maintenance and operation of these facilities.

15. All proposed Bioretention facilities may be of any shape. However, each layer must be designed and built flat and level. Bioretention facility design shall be sized according to the BASMAA Post-Construction Manual and the drainage management area (DMA) be drain to the facility, see Figures 4-1 and 4-2 from the BASMAA Post-Construction Manual for a typical detail. All stormwater facilities shall meet all required setbacks identified in Federal, State and Local codes and regulations.
16. On-site storm drain inlets shall be marked with the words “No Dumping! Flows to River” or similar.
17. Interior floor drains shall be plumbed to sanitary sewer or approved closed loop system (e.g. processed waste system).
18. Refuse Areas shall be covered, graded, and paved to prevent run-on and runoff. And drains within a refuse area shall be connected to a grease removal devise before discharge to a sanitary sewer or approved closed loop system (e.g. processed waste system).
19. Processing areas, including but not limited to wine grape crushing/pressing, juice fermentation, blending and fining, filtration and bottling, shall be paved and performed under permanent cover during all phases of the proposed development.
20. Loading Docks shall be covered and/or graded to minimize run-on to and runoff from the loading area during all phases of the proposed development. Roof downspouts shall be positioned to direct stormwater away from the loading area.
21. Pervious Pavements and other pervious systems shall be designed to meet the minimum design criteria of Napa County’s BASMAA Post-Construction Manual.
22. Provide for ongoing Operation and Maintenance Plan including executing a Stormwater Management Facilities Agreement, which runs with the land and provides for periodic inspections and reporting at the facilities owner’s expense.

ANY CHANGES IN USE OR DESIGN MAY NECESSITATE ADDITIONAL REVIEW AND CONDITIONS FOR APPROVAL.

If you have any questions regarding the above items please contact Patrick Ryan from Napa County PBES Department Engineering Division at (707) 253.4892 or via e-mail at Patrick.Ryan@countyofnapa.org.




A Tradition of Stewardship
A Commitment to Service

Planning, Building & Environmental Services

1195 Third Street, Suite 210
Napa, CA 94559
www.countyofnapa.org

David Morrison
Director

MEMORANDUM

To: Jason Hade, Project Planner	From: Kim Withrow, Environmental Health Supervisor 
Date: May 30, 2017	Re: Paul Hobbs – Nathan Coombs Winery 2184 Imola Avenue Assessor Parcel #046-351-001 &-016 File # P15-00128

The application requesting approval to construct a new winery with related improvements as described in application materials has been reviewed. This Division has no objection to approval of the application with the following conditions of approval:

Prior to Phase I building permit issuance:

1. Plans for the proposed sanitary and process wastewater treatment system as described in the Wastewater Feasibility Study dated April 1, 2015, shall be designed by a licensed Civil Engineer or Registered Environmental Health Specialist and be accompanied by complete design criteria based upon local conditions. No building clearance (or issuance of a building permit) for any structure that generates wastewater to be disposed of by this system will be approved until such plans are approved by this Division.

Please be advised-requirements for process wastewater treatment systems in Napa County are being reviewed and may be modified to comply with Regional Water Quality Control Board (RWQCB) minimum standards. The owner will have to comply with process wastewater system requirements in place at the time the application for a building permit is filed and the sewage installation permit is secured.

2. A permit to construct the proposed wastewater treatment system must be secured from this Division prior to approval of a building clearance (or issuance of a building permit) for any structure that generates wastewater to be disposed of by this system.
3. Complete plans and specifications for the food preparation, service area(s), storage area(s) and the employee restrooms must be submitted for review and approval by this

Division prior to issuance of any building permits for said areas. An annual food permit will be required.

4. Prior to drilling a new well to comply with the small public water system requirements a well permit must be obtained by a licensed well driller from this Division. Additionally, to comply with the groundwater conservation ordinance an existing well must be destroyed under permit from this Division. The new well must be constructed with the same casing size or smaller than the well being destroyed.
5. The water supply and related components must comply with the California Safe Drinking Water Act and Related Laws. This will require plan review and approval prior to approval of building permits. Prior to occupancy, the owner must apply for and obtain an annual operating permit for the water system from this Division. The technical report must be completed by a licensed engineer with experience in designing water systems. The applicant must comply with all required monitoring and reporting.
6. Adequate area must be provided for collection of recyclables. The applicant must work with the franchised garbage hauler for the service area in which they are located, in order to determine the area and the access needed for the collection site. The garbage and recycling enclosure must meet the enclosure requirements provided during use permit process and be included on the building permit submittal. The designated area shall remain available and be properly maintained for its intended use.

Prior to Phase II building permit issuance:

7. Plans for the proposed process wastewater treatment system improvements as described in the Wastewater Feasibility Study dated April 1, 2015, shall be designed by a licensed Civil Engineer or Registered Environmental Health Specialist and be accompanied by complete design criteria based upon local conditions. No building clearance (or issuance of a building permit) for any structure that generates wastewater to be disposed of by this system will be approved until such plans are approved by this Division.

Please be advised-requirements for process wastewater treatment systems in Napa County are being reviewed and may be modified to comply with Regional Water Quality Control Board (RWQCB) minimum standards. The owner will have to comply with process wastewater system requirements in place at the time the application for a building permit is filed and the sewage installation permit is secured.

8. A permit to construct the proposed process wastewater treatment system must be secured from this Division prior to approval of a building clearance (or issuance of a building permit) for any structure that generates wastewater to be disposed of by this system.
9. Complete plans and specifications for the food preparation, service area(s), storage area(s) and the employee restrooms must be submitted for review and approval by this Division prior to issuance of any building permits for said areas. An annual food permit will be required.

During construction and/or prior to final occupancy being granted:

10. Operating permits must be obtained for the wastewater system, drinking water system and food facility.
11. During the construction, demolition, or renovation period of the project the applicant must use the franchised garbage hauler for the service area in which they are located for all wastes generated during project development, unless applicant transports their own waste. If the applicant transports their own waste, they must use the appropriate landfill or solid waste transfer station for the service area in which the project is located.

Upon final occupancy and thereafter:

12. Pursuant to Chapter 6.95 of the California Health and Safety Code, businesses that store hazardous materials above threshold planning quantities (55 gallons liquid, 200 cubic feet compressed gas, or 500 pounds of solids) shall obtain a permit, file an approved Hazardous Materials Business Plan to <http://cers.calepa.ca.gov/>, and be approved by this Division within 30 days of said activities.
13. All catered food must be prepared and served by a Napa County permitted caterer. If the caterer selected does not possess a valid Napa County Permit to operate, refer the business to this Division for assistance in obtaining the required permit prior to providing any food service.
14. The use of the absorption field/drain field area shall be restricted to activities which will not contribute to compaction of the soil with consequent reduction in soil aeration. Activities which must be avoided in the area of the septic system include equipment storage, traffic, parking, pavement, livestock, etc.
15. All solid waste shall be stored and disposed of in a manner to prevent nuisances or health threats from insects, vectors and odors.



A Tradition of Stewardship
A Commitment to Service

Planning, Building & Environmental Services

1195 Third Street, Suite 210
Napa, CA 94559
www.countyofnapa.org

David Morrison
Director

MEMORANDUM

To: Jason Hade	From: Gary West, CBO
Date: May 19, 2015	Re: Nathan Coombs Winery

Building Inspection Division Planning Use Permit Review Comments

Address: 2181 Imola Ave., Napa

APN: 046-351-016 and 001

Project: P15-00128 UP

Owner: Paul Hobbs

Contact: SMA-Steve Martin, P.E.

Description: Phased Use Permit application to permit the following in Phase 1 1)12,000 gallon production winery; 2)11,250 square foot winery building; 3)Tasting by appointment maximum 20 visitors per day; 4)Four marketing events per year 100 person maximum; and 5)Up to seven full-time employees.

No Comments on this project.

GARY WEST
CHIEF BUILDING OFFICIAL
COUNTY OF NAPA
1195 THIRD STREET, SUITE 210
NAPA CA 94559
(707)259-8230



A Tradition of Stewardship
A Commitment to Service

Department of Public Works

1195 Third Street, Suite 101
Napa, CA 94559-3092
www.countyofnapa.org/publicworks

Main: (707) 253-4351
Fax: (707) 253-4627

Steven Lederer
Director

MEMORANDUM

To: PBES Staff	From: Rick Marshall Deputy Director of Public Works
Date: July 25, 2016	Re: Paul Hobbs-Nathan Coombs Winery P15-00128

Thank you for the opportunity to review the subject permit application.

I have reviewed the information in the *Traffic Study for the Paul Hobbs-Nathan Coombs Winery*, prepared by W-Trans and dated May 13, 2016. The analysis is acceptable and I concur with the assumptions made, the methods used in the evaluation, and the conclusions reached. The study adequately demonstrates that the proposed use in the proposed location will not result in any significant impacts, either project-specific or cumulative, on traffic circulation in the vicinity. Therefore, no mitigation measures are required with this project.

I offer the following comments from the Department of Public Works:

Left-Turn Lane not required. Based on the forecast of traffic to be generated by the proposed project, and the volume of traffic on Fourth Avenue, this project will not require the installation of a left-turn lane at the location of the project access driveway.

Encroachment Permit required. The plans indicate a new driveway connection to Fourth Street, a County-maintained road. An encroachment permit will be required during the building permit phase. Please contact the Roads office at (707) 944-0196 to initiate the encroachment permit process.

More information on these is available at our website:

<http://www.countyofnapa.org/publicworks/roads/>

Other. The Public Works Department has the following other concerns:

1. The *Traffic Study* indicates that special events will be held at times outside the peak period for traffic. The project should be conditioned to memorialize this assumption – special events shall not begin nor end during the hours of 3-6 p.m.

2. The *Traffic Study* indicates that sight distance from the proposed project driveway will meet standards assuming proposed landscaping is maintained in a manner which does not interfere with this sight distance. The project should be conditioned to memorialize this assumption – landscaping at the project driveway shall be maintained to not interfere with sight distance required for safe stopping distance on Fourth Street.

Please contact me at Rick.Marshall@countyofnapa.org or call (707) 259-8381 if you have questions or need additional information.



A Tradition of Stewardship
A Commitment to Service

Napa County Fire Department
Fire Marshal's Office
Hall of Justice, 2nd Floor
1125 3rd Street
Napa, CA 94559

Office: (707) 299-1464

Joe Petersen
Fire Marshal

INTER-OFFICE MEMORANDUM

TO: Jason Hade
Planning, Building and Environmental Services

FROM: James Bales
Fire Department

DATE: May 19, 2015

Subject: P15-00128 APN# 046-351-016

SITE ADDRESS: 2181 Imola Ave

The Napa County Fire Marshal's Office has reviewed the Use Permit Modification application for the project listed above. I am requesting that the comments below be incorporated into the project conditions should the Planning Commission approve this project.

- 1. All construction and use of the facility shall comply with all applicable standards, codes, regulations, and standards at the time of building permit issuance.**
- 2. All fire department access roads and driveways shall comply with the Napa County Road and Street Standards.**
3. All buildings over 3,600 square feet shall be equipped with an automatic fire sprinkler system conforming to NFPA 13 2013 edition with water flow monitoring to a Central Receiving Station.
5. The required fire flow for this project is 300 GPM for a 60 minute duration with 20 psi residual pressure. A UL listed fire pump conforming to NFPA 20, 2013 edition may be required to meet or exceed the required fire flow for the project.
6. Provide a minimum of 18,000 gallons of water dedicated for fire protection. **Water storage for fire sprinkler systems shall be in addition to the water storage requirement for your fire flows and domestic use.**

7. Provide fire department access roads to within 150 feet of any exterior portion of the buildings. Fire department access roads shall be a minimum of 20 feet in width with a 15 foot clear vertical clearance.
9. Install illuminated exit signs throughout the buildings per the California Building Code 2013 edition.
15. Install emergency back-up lighting throughout the buildings per the California Building Code 2013 edition.
16. Beneficial occupancy **will not be granted** until all fire department fire and life safety items have been installed, tested and finalized.

James Bales
CAL FIRE/ Fire Captain
Assistant Fire Marshal
(707) 299-1463