

“B”

**Recommended Conditions of Approval and
Final Agency Approval Memos**

**PLANNING COMMISSION HEARING MARCH 6, 2019
RECOMMENDED CONDITIONS OF APPROVAL**

**Kenefick Winery Use Permit
Application Number P16-00021-UP
2200 Pickett Road, Calistoga, California
APN #020-340-007**

This permit encompasses and shall be limited to the project commonly known as Kenefick Winery, located at 2200 Pickett Road, Calistoga, CA 94515. Part I encompasses the Project Scope and general conditions pertaining to statutory and local code references, project monitoring, and the process for any future changes or activities. Part II encompasses the ongoing conditions relevant to the operation of the project. Part III encompasses the conditions relevant to construction and the prerequisites for a Final Certificate of Occupancy. It is the responsibility of the permittee to communicate the requirements of these conditions and mitigations (if any) to all designers, contractors, employees, and guests of the winery to ensure compliance is achieved.

Where conditions are not applicable or relevant to this project, they shall be noted as “Reserved” and therefore have been removed.

When modifying a legally established entitlement related to this project, these conditions are not intended to be retroactive or to have any effect on existing vested rights except where specifically indicated.

PART I

1.0 PROJECT SCOPE

The permit encompasses and shall be limited to:

- 1.1 Approval of a Use Permit for a 20,000 gallon per year winery to allow the following:
 - a. Construct a 3,840 square foot two-story winery structure with a 900 square foot covered crush pad. The first floor would include a fermentation and storage room, tasting room, and restroom, with an office and lab on the second floor. The winery building will replace an existing agricultural storage building;
 - b. Maximum annual permitted maximum production of 20,000 gallons;
 - c. Hours of operation seven days a week: 7:00 AM to 5:00 PM (production hours, except during harvest) and 10:00 AM to 5:00 PM (visitation hours);
 - d. Employment of four employees (three full time and one part time) non harvest;
 - e. Tours and tastings by appointment only for 12 visitors per day; weekly maximum of 84 visitors;
 - f. Annual marketing plan – 10 events (maximum of 30 guests per event) and one event (maximum of 50 persons), Catered food only may be served at events;
 - g. Construction of six parking spaces;

- h. Connect the winery to the existing septic system;
- i. Utilize an existing well;
- j. Improvement of the existing on site driveway (widening to 20 feet) to meet County Road and Street Standards; and
- k. Installation of one 20,000 gallon water storage tank.

The winery shall be designed in substantial conformance with the submitted site plan, elevation drawings, and other submittal materials and shall comply with all requirements of the Napa County Code (the County Code). It is the responsibility of the permittee to communicate the requirements of these conditions and mitigations (if any) to all designers, contractors, employees, and guests of the winery to ensure compliance is achieved. Any expansion or change in winery use or alternative locations for fire suppression or other types of water tanks shall be approved in accordance with the County Code and may be subject to the permit modification process.

2.0 STATUTORY AND CODE SECTION REFERENCES

All references to statutes and code sections shall refer to their successor as those sections or statutes may be subsequently amended from time to time.

3.0 MONITORING COSTS

All staff costs associated with monitoring compliance with these conditions, previous permit conditions, and project revisions shall be borne by the permittee and/or property owner. Costs associated with conditions of approval and mitigation measures that require monitoring, including investigation of complaints, other than those costs related to investigation of complaints of non-compliance that are determined to be unfounded, shall be charged to the property owner or permittee. Costs shall be as established by resolution of the Board of Supervisors in accordance with the hourly consulting rate established at the time of the monitoring and shall include maintenance of a \$500 deposit for construction compliance monitoring that shall be retained until issuance of a Final Certificate of Occupancy. Violations of conditions of approval or mitigation measures caused by the permittee's contractors, employees, and/or guests are the responsibility of the permittee.

The Planning Commission may implement an audit program if compliance deficiencies are noted. If evidence of a compliance deficiency is found to exist by the Planning Commission at some time in the future, the Planning Commission may institute the program at the applicant's expense (including requiring a deposit of funds in an amount determined by the Commission) as needed until compliance assurance is achieved. The Planning Commission may also use the data, if so warranted, to commence revocation proceedings in accordance with the County Code.

PART II

4.0 OPERATIONAL CHARACTERISTICS OF THE PROJECT

Permittee shall comply with the following during operation of the winery:

4.1 GENERAL PROVISIONS

Consistent with the County Code, tours and tastings and marketing may occur at a winery only where such activities are accessory and “clearly incidental, related, and subordinate to the primary operation of the winery as a production facility.”

Tours and tastings (defined below) may include food and wine pairings, where all such food service is provided without charge except to the extent of cost recovery and is incidental to the tasting of wine. Food service may not involve menu options and meal service such that the winery functions as a café or restaurant.

Retail sales of wine shall be permitted as set forth in the County Code.

4.2 TOURS AND TASTINGS/VISITATION

Tours and tastings shall be by appointment only and shall be limited to the following:

- a. Frequency: 7 days per week, Monday through Sunday
- b. Maximum number of persons per day: 12
- c. Maximum number of persons per week: 84
- d. Hours of visitation: 10:00 AM to 5:00 PM

“Tours and tastings” means tours of the winery and/or tastings of wine, where such tours and tastings are limited to persons who have made unsolicited prior appointments for tours or tastings. To the maximum extent feasible, scheduling of visitors shall not occur during peak travel times between 4:00 PM – 6:00 PM on weekdays and 1:00 PM – 3:00 PM on weekends.

A log book (or similar record) shall be maintained to document the number of visitors to the winery (for either tours and tastings or marketing events), and the dates of the visits. This record of visitors shall be made available to the Planning, Building and Environmental Services (PBES) Department upon request.

4.3 MARKETING

Marketing events shall be limited to the following:

- a. Type 1
 1. Frequency: 10 times per year
 2. Maximum number of persons: 30
 3. Time of Day: 11:00 am to 10:00 pm
- b. Type 2
 1. Frequency: 1 time per year
 2. Maximum number of persons: 50
 3. Time of Day: 11:00 am to 10:00 pm
- c. The applicant shall provide portable toilet facilities for guest use during all events.

"Marketing of wine" means any activity of a winery which is conducted at the winery on a prearranged basis for the education and development of customers and potential customers with respect to wine which can be sold at the winery on a retail basis pursuant to the County Code. Marketing of wine may include cultural and social events directly related to the education and development of customers and potential customers provided such events are clearly incidental, related and subordinate to the primary use of the winery. Marketing of wine may include food service, including food and wine pairings, where all such food service is provided without charge except to the extent of cost recovery.

Business events are similar to cultural and social events, in that they will only be considered as "marketing of wine" if they are directly related to the education and development of customers and potential customers of the winery and are part of a marketing plan approved as part of the winery's Use Permit. To be considered directly related to the education and development of customers or potential customers of the winery, business events must be conducted at no charge except to the extent of cost recovery, and any business content unrelated to wine must be limited.

Careful consideration shall be given to the intent of the event, the proportion of the business event's non-wine-related content, and the intensity of the overall marketing plan (County Code).

All marketing event activity, excluding quiet clean-up, shall cease by 10:00 pm. If any event is held which will exceed the available on-site parking, the permittee shall prepare an event-specific parking plan which may include, but not be limited to, valet service or off-site parking and shuttle service to the winery.

Auction Napa Valley (ANV) events need not be included in a participating winery's marketing plan because they are covered by ANV's Category 5 Temporary Permit. The winery may utilize any ANV event authorized in this permit for another charitable event of similar size.

4.4 ON-PREMISES CONSUMPTION **[RESERVED]**

4.5 RESIDENCE OR NON-WINERY STRUCTURES

Unless specifically authorized by this permit or a previously approved permit, the existing main house, two farmworker residences, vineyard office, working barn, half-buried barn, two work sheds, storage building, and tractor shed shall not be used for commercial purposes or in conjunction with the operation and/or visitation/marketing program for the winery. If the residence is rented, it shall only be rented for periods of 30 days or more, pursuant to the County Code.

4.6 GRAPE SOURCE

At least 75% of the grapes used to make the winery's still wine or the still wine used by the winery to make sparkling wine shall be grown within Napa County. The permittee shall keep records of annual production documenting the source of grapes to verify that 75% of the annual production is from Napa County grapes.

The report shall recognize the Agriculture Commission's format for County of origin of grapes and juice used in the Winery Production Process. The report shall be provided to the PBES Department upon request, but shall be considered proprietary information and not available to the public.

4.7 COMPLIANCE REVIEW

Permittee shall obtain and maintain all permits (use permits and modifications) and licenses from the California Department of Alcoholic Beverage Control (ABC) and United States Tax and Trade Bureau (TTB), and California Department of Food and Agriculture (CDFA) Grape Crush Inquiry data, all of which are required to produce and sell wine. In the event the required ABC and/or TTB permits and/or licenses are suspended or revoked, permittee shall cease marketing events and tours and tastings until such time as those ABC and/or TTB permits and licenses are reinstated.

Visitation log books, visitor reports, custom crush client records, and any additional documentation determined by Staff to be necessary to evaluate compliance may be requested by the County for any code compliance. The permittee (and their successors) shall be required to participate fully in the winery code compliance review process.

4.8 RENTAL/LEASING

No winery facilities, or portions thereof, including, without limitation, any kitchens, barrel storage areas, or warehousing space, shall be rented, leased, or used by entities other than persons producing and/or storing wine at the winery, such as alternating proprietors and custom producers, except as may be specifically authorized in this Permit or pursuant to the Temporary Events Ordinance (County Code Chapter 5.36).

4.9 GROUND WATER MANAGEMENT - WELLS

This condition is implemented jointly by the Public Works and PBES Departments:

The permittee shall be required (at the permittee's expense) to record well monitoring data (specifically, static water level no less than quarterly, and the volume of water no less than monthly). Such data will be provided to the County, if the PBES Director determines that substantial evidence¹ indicates that water usage at the winery is affecting, or would potentially affect, groundwater supplies or nearby wells. If data indicates the need for additional monitoring, and if the applicant is unable to secure monitoring access to neighboring wells, onsite monitoring wells may need to be established to gauge potential impacts on the groundwater resource utilized for the project. Water usage shall be minimized by use of best available control technology and best water management conservation practices.

In order to support the County's groundwater monitoring program, well monitoring data as discussed above will be provided to the County if the Director of Public Works determines that such data could be useful in supporting the County's

groundwater monitoring program. The project well will be made available for inclusion in the groundwater monitoring network if the Director of Public Works determines that the well could be useful in supporting the program.

In the event that changed circumstances or significant new information provide substantial evidence¹ that the groundwater system referenced in the Use Permit would significantly affect the groundwater basin, the PBES Director shall be authorized to recommend additional reasonable conditions on the permittee, or revocation of this permit, as necessary to meet the requirements of the County Code and to protect public health, safety, and welfare.

4.10 AMPLIFIED MUSIC

There shall be no amplified sound system or amplified music utilized outside of approved, enclosed, winery buildings.

4.11 TRAFFIC

To the maximum extent feasible, scheduling of reoccurring vehicle trips to and from the site for employees and deliveries shall not occur during peak travel times between 4:00 PM – 6:00 PM on weekdays and 1:00 PM – 3:00 PM on weekends. All road improvements on private property required per Engineering Services shall be maintained in good working condition and in accordance with the Napa County Roads and Streets Standards.

4.12 PARKING

The location of visitor parking and truck loading zone areas shall be identified along with proposed circulation and traffic control signage (if any).

Parking shall be limited to approved parking spaces only and shall not occur along access or public roads or in other locations except during harvest activities and approved marketing events. In no case shall parking impede emergency vehicle access or public roads.

4.13 BUILDING DIVISION – USE OR OCCUPANCY CHANGES

Please contact the Building Division with any questions regarding the following:

In accordance with the California Building Code (CBC), no change shall be made in the use of occupancy of an existing building unless the building is made to comply with the requirements of the current CBC for a new building.

¹ Substantial evidence is defined by case law as evidence that is of ponderable legal significance, reasonable in nature, credible and of solid value. The following constitute substantial evidence: facts, reasonable assumptions predicated on facts; and expert opinions supported by facts. Argument, speculation, unsubstantiated opinion or narrative, or clearly inaccurate or erroneous information do not constitute substantial evidence.

4.14 FIRE DEPARTMENT – TEMPORARY STRUCTURES

Please contact the Fire Department with any questions regarding the following:

The permittee and/or designee shall obtain a tent permit from the Fire Department for any temporary structures utilized for authorized marketing events allowed per COA No. 4.3 above.

4.15 NAPA COUNTY MOSQUITO ABATEMENT PROGRAM **[RESERVED]**

4.16 GENERAL PROPERTY MAINTENANCE – LIGHTING, LANDSCAPING, PAINTING, OUTDOOR EQUIPMENT STORAGE, AND TRASH ENCLOSURE AREAS

- a. All lighting shall be permanently maintained in accordance with the lighting and building plans approved by the County. Lighting utilized during harvest activities is exempt from this requirement.
- b. All landscaping and outdoor screening, storage, and utility structures shall be permanently maintained in accordance with the landscaping and building plans approved by the County. No stored items shall exceed the height of the screening. Exterior winery equipment shall be maintained so as to not create a noise disturbance or exceed noise thresholds in the County Code.
- c. The colors used for the roof, exterior walls and built landscaping features of the winery shall be limited to earth tones that will blend the facility into the colors of the surrounding site specific vegetation. The permittee shall obtain the written approval of the Planning Division prior to any change in paint colors that differs from the approved building permit. Highly reflective surfaces are prohibited.
- d. Designated trash enclosure areas shall be made available and properly maintained for intended use.

4.17 NO TEMPORARY SIGNS

Temporary off-site signage, such as “A-Frame” signs, is prohibited.

4.18 COMPLIANCE WITH OTHER DEPARTMENTS AND AGENCIES – OPERATIONAL CONDITIONS

The attached project conditions of approval include all of the following County Divisions, Departments and Agencies’ requirements. Without limiting the force of those other requirements which may be applicable, the following are incorporated by reference as enumerated herein:

- a. Engineering Services Division operational conditions as stated in their Memorandum dated October 10, 2017.
- b. Environmental Health Division operational conditions as stated in their Memorandum dated May 4, 2018.

- c. Fire Department operational conditions as stated in their Inter-Office Memo dated December 10, 2017.

The determination as to whether or not the permittee has substantially complied with the requirements of other County Divisions, Departments and Agencies shall be determined by those County Divisions, Departments or Agencies. The inability to substantially comply with the requirements of other County Divisions, Departments and Agencies may result in the need to modify this permit.

4.19 OPERATIONAL MITIGATION MEASURES **[RESERVED]**

4.20 OTHER CONDITIONS APPLICABLE TO THE OPERATIONAL ASPECTS OF THE PROJECT

- a. All winery traffic shall access the property from Pickett Road.

4.21 PREVIOUS CONDITIONS **[RESERVED]**

PART III

5.0 PREREQUISITE FOR ISSUANCE OF PERMITS

5.1 PAYMENT OF FEES

No building, grading or sewage disposal permits shall be issued or other permits authorized until all accrued planning permit processing fees have been paid in full. This includes all fees associated with plan check and building inspections, associated development impact fees established by County Ordinance or Resolution, and the Napa County Affordable Housing Mitigation Fee in accordance with County Code.

6.0 GRADING/DEMOLITION/ENVIRONMENTAL/BUILDING PERMIT/OTHER PERMIT PREREQUISITES

Permittee shall comply with the following with the submittal of a grading, demolition, environmental, building and/or other applicable permit applications.

6.1 COMPLIANCE WITH OTHER DEPARTMENTS AND AGENCIES – PLAN REVIEW, CONSTRUCTION AND PREOCCUPANCY CONDITIONS

The attached project conditions of approval include all of the following County Divisions, Departments and Agencies' requirements. The permittee shall comply with all applicable building codes, zoning standards, and requirements of County Divisions, Departments and Agencies at the time of submittal and may be subject to change. Without limiting the force of those other requirements which may be applicable, the following are incorporated by reference as enumerated herein:

- a. Engineering Services Division plan review/construction/preoccupancy conditions as stated in their Memorandum dated October 10, 2017.
- b. Environmental Health Division plan review/construction/ preoccupancy conditions as stated in their Memorandum dated May 4, 2018.
- c. Fire Department plan review/construction/ preoccupancy conditions as stated in their Inter-Office Memo dated December 10, 2017.

The determination as to whether or not the permittee has substantially complied with the requirements of other County Divisions, Departments and Agencies shall be determined by those County Divisions, Departments or Agencies. The inability to substantially comply with the requirements of other County Divisions, Departments and Agencies may result in the need to modify the permit.

6.2 BUILDING DIVISION – GENERAL CONDITIONS

- a. A building permit shall be obtained for all construction occurring on the site not otherwise exempt by the California Building Code (CBC) or any State or local amendment adopted thereto.
- b. If there are any existing structures and/or buildings on the property that will need to be removed to accommodate construction activities, a separate demolition permit shall be required from the Building Division prior to removal. The permittee shall provide a “J” number from the Bay Area Air Quality Management District (BAAQMD) at the time the permittee applies for a demolition permit if applicable.
- c. All areas of newly designed and newly constructed buildings, facilities and on-site improvements must comply with the CBC accessibility requirements, as well as, American with Disability Act requirements when applicable. When alterations or additions are made to existing buildings or facilities, an accessible path of travel to the specific area of alteration or addition shall be provided as required per the CBC.

6.3 LIGHTING – PLAN SUBMITTAL

- a. Two (2) copies of a detailed lighting plan showing the location and specifications for all lighting fixtures to be installed on the property shall be submitted for Planning Division review and approval. All lighting shall comply with the CBC.
- b. All exterior lighting, including landscape lighting, shall be shielded and directed downward, shall be located as low to the ground as possible, shall be the minimum necessary for security, safety, or operations; on timers; and shall incorporate the use of motion detection sensors to the greatest extent practical. All lighting shall be shielded or placed such that it does not shine directly on adjacent properties or impact vehicles on adjacent streets. No flood-lighting or sodium lighting of the building is permitted, including architectural highlighting and spotting. Low-level lighting shall be utilized in

parking areas as opposed to elevated high-intensity light standards. Lighting utilized during harvest activities is exempt from this requirement.

6.4 LANDSCAPING – PLAN SUBMITTAL **[RESERVED]**

6.5 COLORS

The colors used for the roof, exterior walls and built landscaping features of the winery shall be limited to earth tones that will blend the facility into the colors of the surrounding site specific vegetation. The permittee shall obtain the written approval of the Planning Division in conjunction with building permit review and/or prior to painting the building. Highly reflective surfaces are prohibited.

6.6 OUTDOOR STORAGE/SCREENING/UTILITIES

- a. Details of outdoor storage areas and structures shall be included on the building and landscape plans. All outdoor storage of winery equipment shall be screened from the view of residences of adjacent properties by a visual barrier consisting of fencing or dense landscaping. No stored item shall exceed the height of the screening. Water and fuel tanks, and similar structures, shall be screened to the extent practical so as to not be visible from public roads and adjacent parcels.
- b. New utility lines required for this project that are visible from any designated scenic transportation route (see Community Character Element of the General Plan and the County Code) shall be placed underground or in an equivalent manner be made virtually invisible from the subject roadway.
- c. Exterior winery equipment shall be located, enclosed or muffled so as not to exceed noise thresholds in the County Code.

6.7 TRASH ENCLOSURES

Adequate area must be provided for collection and loading of garbage and recyclables generated by the project. The applicant must work with the franchised garbage hauler for the service area in which they are located, in order to determine the area and the pedestrian and vehicle access needed for the collection site. The garbage and recycling enclosure shall meet the minimum enclosure requirements established by staff and the franchised hauler, which shall be included in the building permit submittal.

6.8 ADDRESSING

All project site addresses shall be determined by the PBES Director, and be reviewed and approved by the United States Post Office. The PBES Director reserves the right to issue or re-issue an appropriate situs address at the time of issuance of any building permit to ensure proper identification and sequencing of numbers. For multi-tenant or multiple structure projects, this includes building permits for later building modifications or tenant improvements.

6.9 HISTORIC RESOURCES **[RESERVED]**

6.10 DEMOLITION ACTIVITIES

a. Final demolition plans of the agricultural building shall be submitted for building permit issuance. A site plan prepared by a qualified professional shall denote streams, stream setbacks, existing and proposed improvements and slopes. No new construction or earthmoving activities are allowed within established stream setbacks unless specifically approved as part of this permit in COA No. 1.0 (Scope) above. As determined by the PBES Director or designee, temporary construction fencing shall be placed at the stream setback line to prevent unauthorized encroachments.

b. **[RESERVED]**

6.11 VIEWSHED – EXECUTION OF USE RESTRICTION **[RESERVED]**

6.12 PERMIT PREREQUISITE MITIGATION MEASURES

The permittee shall comply with the following permit prerequisite mitigation measures identified in the adopted Initial Study/Mitigated Negative Declaration and Project Revision Statement/Mitigation Monitoring and Reporting Program prepared for the project:

a. MM BIO-1: Nesting Bird Surveys

- 1) For earth-disturbing activities occurring between February 1 and August 31 (which coincides with the grading season of April 1 through October 15 – NCC Section 18.108.070.L, and bird breeding and nesting seasons), a qualified biologist (defined as knowledgeable and experienced in the biology and natural history of local avian resources with the potential to occur at the project site) shall conduct a preconstruction surveys for nesting birds within all suitable habitat on the project site, and where there is potential for impacts adjacent to the project areas (typically within 500 feet of project activities). The preconstruction survey shall be conducted no earlier than 14 days prior to when vegetation removal and ground disturbing activities are to commence. Should ground disturbance commence later than 14 days from the survey date, surveys shall be repeated. A copy of the survey will be provided to the Napa County Conservation Division and the CDFW prior to commencement of work.
- 2) After commencement of work if there is a period of no work activity of 5 days or longer during the bird breeding season, surveys shall be repeated to ensure birds have not established nests during inactivity.
- 3) In the event that nesting birds are found, the Permittee shall identify appropriate avoidance methods and exclusion buffers in consultation with the County Conservation Division and the U.S. Fish and Wildlife Service (USFWS) and/or CDFW prior to initiation of project activities.

Exclusion buffers may vary in size, depending on habitat characteristics, project activities/disturbance levels, and species as determined by a qualified biologist in consultation with County Conservation Division and the USFWS and/or CDFW.

- 4) Exclusion buffers shall be fenced with temporary construction fencing (or the like), the installation of which shall be verified by Napa County prior to the commencement of any earthmoving and/or development activities. Exclusion buffers shall remain in effect until the young have fledged or nest(s) are otherwise determined inactive by a qualified biologist.
- 5) Alternative methods aimed at flushing out nesting birds prior to pre-construction surveys, whether physical (i.e., removing or disturbing nests by physically disturbing trees with construction equipment), audible (i.e., utilizing sirens or bird cannons), or chemical (i.e., spraying nesting birds or their habitats) would be considered an impact to nesting birds and is prohibited.

Method of Monitoring: If vegetation clearing or other land disturbance is proposed during the bird and raptor breeding/nesting season (February 1 through August 31), the pre-construction survey prepared by a qualified wildlife biologist shall be submitted to Planning Division staff and the CDFW prior to commencement of work.

Responsible Agency: Planning Division

b. MM BIO-2: Roosting Bats – Demolition of Buildings:

- 1) To prevent direct mortality of bats in the empty buildings on the project site, a bat habitat assessment of the buildings shall be conducted by a qualified bat biologist at least 3-6 months ahead of demolition. The bat habitat assessment will provide specific recommendations for humane bat eviction and/or partial dismantling to be followed for each building. In general, humane eviction of bats must occur during seasonal periods of bat activity, generally between March 1 and April 15 or September 1 through October 15.

Method of Monitoring: A copy of the habitat assessment shall be submitted to Planning Division staff prior to issuance of a demolition permit for removal of any structure.

Responsible Agency: Planning Division

c. MM BIO-3: Roosting Bats – Tree Removal:

- 1) Bat habitat trees (those trees containing bat habitat features such as limbs and trunks with cavities, crevices and deep bark fissures) as

determined by a qualified biologist may be removed between August 15 and October 15 (when young would be self-sufficiently Volant, and prior to hibernation and formation of maternity colonies). Trees shall be trimmed and removed in a two-phased removal system conducted over two consecutive days under the supervision of qualified biologist. The first day (in the afternoon) limbs, branches and trunks without cavities, crevices and deep bark fissures may be removed by a tree cutter using chainsaws only. Limbs and trunks with cavities, crevices and deep bark fissures shall be avoided, and only branches, limbs, trunks without those features may be removed. On the second day, the remainder of the tree may be removed.

- i. For removal of bat habit trees between October 16 and August 14 of the following year, a qualified biologist (defined as having demonstrable qualifications and experience with the particular species for which they are surveying, and with bat surveys in specific roost types for project specific conditions), shall conduct pre-construction survey within 14 days of vegetation removal and ground disturbing activities are to commence to determine absence/presence of special-status bat species. Survey methods, timing, duration, and species shall be provided for review and approval by Napa County prior to conducting pre-construction surveys. A copy of the survey shall be provided to the County Planning Division and CDFW prior to commencement of work. If special-status bat species are not present removal can proceed. Should bats species presence be confirmed an avoidance plan, prepared by a qualified biologist, shall be developed in conjunction with the Planning Division and/or CDFW. The avoidance plan will need to evaluate length of time of work and disturbance activities, equipment noise, work windows, habitat buffers, habitat removal timing, and compensatory measures if necessary. The avoidance plan, upon approval by the Planning Division, shall be implemented.

Method of Monitoring: A copy of the habitat assessment shall be submitted to Planning Division staff and the CDFW prior to commencement of work.

Responsible Agency(ies): Planning Division

- d. MM BIO-4 Oak Tree Replacement:

- 1) Prior to vegetation removal or ground disturbing activities, the permittee shall submit an Oak Tree Replacement Plan, prepared by a qualified biologist, to the Planning Division for review and approval. The replacement planting shall be at a 2:1 ratio and shall be monitored for five (5) years. The Replacement Plan shall include the following information: proposed location of replacement planting, including biological justification for why that is an appropriate location; methods

of replanting, including source of replants and timing, size of replants, pest protection such as tree tubes and gopher cages, and irrigation; monitoring methods and schedules; success criteria; and management actions should success criteria not be met.

Method of Monitoring: The replacement plan shall be submitted to the Planning Division prior to issuance of the building permit. To ensure a successful replacement effort, the owner/applicant shall submit annual reports to the Planning Division, assessing replacement plantings survival, which shall include recommendations for any additional required action. Replacement plantings shall achieve an 80% survival rate at 5 years.

Responsible Agency(ies): Planning Division

6.13 **PARCEL CHANGE REQUIREMENTS [RESERVED]**

The permittee shall comply with the following requirements:

6.14 **FINAL MAPS [RESERVED]**

6.15 **OTHER CONDITIONS APPLICABLE TO THE PROJECT PERMITTING PROCESS [RESERVED]**

7.0 PROJECT CONSTRUCTION

Permittee shall comply with the following during project construction:

7.1 SITE IMPROVEMENTS

Please contact Engineering Services with any questions regarding the following.

a. **GRADING AND SPOILS**

All grading and spoils generated by construction of the project facilities shall be managed per Engineering Services direction. Alternative locations for spoils are permitted, subject to review and approval by the PBES Director, when such alternative locations do not change the overall concept, and do not conflict with any environmental mitigation measures or conditions of approval.

b. **DUST CONTROL**

Water and/or dust palliatives shall be applied in sufficient quantities during grading and other ground disturbing activities on-site to minimize the amount of dust produced. Outdoor construction activities shall not occur when average wind speeds exceed 20 mph.

c. **AIR QUALITY**

During all construction activities the permittee shall comply with the most current version of BAAQMD Basic Construction Best Management Practices including but not limited to the following, as applicable:

1. Post a publicly visible sign with the telephone number and person to contact at the lead agency regarding dust complaints. The BAAQMD's phone number shall also be visible.
2. Water all exposed surfaces (e.g., parking areas, staging areas, soil piles, grading areas, and unpaved access roads) two times per day.
3. Cover all haul trucks transporting soil, sand, or other loose material off-site.
4. Remove all visible mud or dirt traced onto adjacent public roads by using wet power vacuum street sweepers at least once per day. The use of dry power sweeping is prohibited.
5. All vehicle speeds on unpaved roads shall be limited to 15 mph.
6. All roadways, driveways, and sidewalks to be paved shall be completed as soon as possible. Building pads shall be laid as soon as possible after grading unless seeding or soil binders are used.
7. Idling times shall be minimized either by shutting off equipment when not in use or reducing the maximum idling time to five (5) minutes (as required by State Regulations). Clear signage shall be provided for construction workers at all access points.
8. All construction equipment shall be maintained and properly tuned in accordance with manufacturer's specifications. All equipment shall be checked by a certified visible emissions evaluator. Any portable engines greater than 50 horsepower or associated equipment operated within the BAAQMD's jurisdiction shall have either a California Air Resources Board (ARB) registration Portable Equipment Registration Program (PERP) or a BAAQMD permit. For general information regarding the certified visible emissions evaluator or the registration program, visit the ARB FAQ http://www.arb.ca.gov/portable/perp/perpfact_04-16-15.pdf or the PERP website <http://www.arb.ca.gov/portable/portable.htm>.

d. **STORM WATER CONTROL**

The permittee shall comply with all construction and post-construction storm water pollution prevention protocols as required by the County Engineering Services Division, and the California Regional Water Quality Control Board.

7.2 **ARCHEOLOGICAL FINDING**

In the event that archeological artifacts or human remains are discovered during construction, work shall cease in a 50-foot radius surrounding the area of discovery. The permittee shall contact the PBES Department for further guidance, which will likely include the requirement for the permittee to hire a qualified

professional to analyze the artifacts encountered and to determine if additional measures are required.

If human remains are encountered during project development, all work in the vicinity must be halted, and the Napa County Coroner informed, so that the Coroner can determine if an investigation of the cause of death is required, and if the remains are of Native American origin. If the remains are of Native American origin, the permittee shall comply with the requirements of Public Resources Code Section 5097.98.

7.3 CONSTRUCTION NOISE

Construction noise shall be minimized to the greatest extent practical and feasible under State and local safety laws, consistent with construction noise levels permitted by the General Plan Community Character Element and the County Noise Ordinance. Construction equipment muffling and hours of operation shall be in compliance with the County Code. Equipment shall be shut down when not in use. Construction equipment shall normally be staged, loaded, and unloaded on the project site, if at all practicable. If project terrain or access road conditions require construction equipment to be staged, loaded, or unloaded off the project site (such as on a neighboring road or at the base of a hill), such activities shall only occur daily between the hours of 8 am to 5 pm.

7.4 CONSTRUCTION MITIGATION MEASURES [RESERVED]

7.5 OTHER CONSTRUCTION CONDITIONS APPLICABLE TO THE PROJECT PROPOSAL [RESERVED]

8.0 TEMPORARY CERTIFICATE OF OCCUPANCY - PREREQUISITES

A Temporary Certificate of Occupancy (TCO) may be granted pursuant to the County Code to allow the commencement of production activities prior to completion of all project improvements. Permittee shall comply with the following before a TCO is granted:

8.1 TEMPORARY OCCUPANCY

All life and safety conditions shall be addressed prior to issuance of a TCO by the County Building Official. TCOs shall not be used for the occupancy of hospitality buildings and shall not exceed the maximum time allowed by the County Code which is 180 days. Departments and/or agencies with jurisdiction over the project are authorized as part of the TCO process to require a security deposit or other financial instrument to guarantee completion of unfinished improvements.

9.0 FINAL CERTIFICATE OF OCCUPANCY – PREREQUISITES

Permittee shall comply with the following before a Final Certificate of Occupancy is granted by the County Building Official, which upon granting, authorizes all use permit activities to commence.

- 9.1 FINAL OCCUPANCY
All project improvements, including compliance with applicable codes, conditions, and requirements of all Departments and Agencies with jurisdiction over the project, shall be completed.
- 9.2 SIGNS
Detailed plans, including elevations, materials, color, and lighting for any winery identification or directional signs shall be submitted to the Department for administrative review and approval prior to installation. Administrative review and approval is not required if signage to be installed is consistent with signage plans submitted, reviewed and approved as part of this permit approval. All signs shall meet the design standards as set forth in the County Code. At least one legible sign shall be placed at the property entrance with the words "Tours and Tasting by Prior Appointment Only" to inform the public of same. Any off-site signs allowed shall be in conformance with the County Code.
- 9.3 GATES/ENTRY STRUCTURES
Any gate installed at the winery entrance shall be reviewed by the PBES Department and the Fire Department to assure that the design allows large vehicles, such as motorhomes, to turn around if the gate is closed without backing into the public roadway, and that fire suppression access is available at all times. If the gate is part of an entry structure an additional permit shall be required pursuant to the County Code and in accordance with the Napa County Roads and Street Standards. A separate entry structure permit is not required if the entry structure is consistent with entry structure plans submitted, reviewed, and approved as part of this permit approval.
- 9.4 LANDSCAPING **[RESERVED]**
- 9.5 ROAD OR TRAFFIC IMPROVEMENT REQUIREMENTS **[RESERVED]**
- 9.6 DEMOLITION ACTIVITIES **[RESERVED]**
- 9.7 GRADING SPOILS
All spoils shall be removed in accordance with the approved grading permit and/or building permit.
- 9.8 MITIGATION MEASURES APPLICABLE PRIOR TO ISSUANCE OF A FINAL CERTIFICATE OF OCCUPANCY **[RESERVED]**
- 9.9 OTHER CONDITIONS APPLICABLE PRIOR TO ISSUANCE OF A FINAL CERTIFICATE OF OCCUPANCY
- a. Landscape Plan for Oak Tree Replacement (Condition of Approval 6.12.d.). Prior to vegetation removal or ground disturbing activities, the permittee shall submit an Oak Tree Replacement Plan, prepared by a qualified biologist, to the Planning Division for review and approval. The replacement planting shall be at a 2:1 ratio and shall be monitored for five (5) years. The Replacement

Plan shall include the following information: proposed location of replacement planting, including biological justification for why that is an appropriate location; methods of replanting, including source of replants and timing, size of replants, pest protection such as tree tubes and gopher cages, and irrigation; monitoring methods and schedules; success criteria; and management actions should success criteria not be met.



A Tradition of Stewardship
A Commitment to Service

MEMORANDUM

To: Charlene Gallina, Planning	From: Jeannette Doss, Engineering <i>JD</i>
Date: October 10, 2017	Re: P16-00021 Kenefick Winery Use Permit – Engineering CoA 2200 Pickett Road, Calistoga, CA P16-00021 APN: 020-340-007-000

The Engineering Division has reviewed the use permit modification application P16-00021 for Kenefick Winery located on assessor's parcel number 020-340-007-000. In general the project proposes the following:

To establish a new 20,000 gallon per year winery with a visitation and marketing plan. The project also proposes to construct a new production building, covered crush pad and parking and driveway improvements.

Based upon the information provided in the application, Engineering finds the application **complete** and recommends the following conditions of approval:

EXISTING CONDITIONS

- Existing access taken from Pickett Road.
- Existing parcel is approximately 44.28 acres.

RECOMMENDED APPROVAL CONDITIONS:

OPERATIONAL CHARACTERISTICS

- All roadway, access drive, and parking area improvements shall be completed **prior to execution** of any new entitlements approved under this Use Permit.

PREREQUISITES FOR ISSUANCE OF PERMITS

- All on site civil improvements including but not limited to the excavation, fill, general grading, drainage, curb, gutter, surface drainage, storm drainage, parking and drive isles, shall be constructed according to plans prepared by a registered civil engineer, which will be reviewed

and approved by the Engineering Division of the Napa County Planning, Building, and Environmental Services Department (PBES) **prior to the commencement** of any on site land preparation or construction. Plans shall be wet signed and submitted with the building and/or grading permit documents at the time of permit application. A plan check fee will apply.

3. **Prior to issuance of a building or grading permit** the owner shall submit the necessary documents for Erosion Control as determined by the area of disturbance of the proposed development in accordance with the Napa Countywide Stormwater Pollution Prevention program Erosion and Sediment Control Plan Guidance for Applicant and Review Staff dated December 2014.
4. **Prior to issuance of a building permit** the owner shall prepare a Regulated Project Stormwater Control Plan (SCP) in accordance with the latest edition of the BASMAA Post-Construction Manual for review and approval by the Engineering Division in PBES.
5. **Prior to issuance of a building or grading permit** the owner shall demonstrate on the plans that all roadways, access driveways, and parking areas serving the project either currently meet the requirements and/or how they will be improved to meet the requirements as outlined in the latest edition of the Napa County Road & Street Standards for Commercial development at the time of approval of this application (P16-00021).
6. The applicant must obtain an encroachment permit from the Napa County Department of Public Works prior to any work performed within the Napa County Right-of-Way.
7. If excess material is generated that cannot be used onsite, the Owner shall furnish to the Napa County Planning, Building and Environmental Services Department evidence that the Owner has entered into agreements with the property owners of the site involved and has obtained the permits, licenses and clearances **prior to commencing any off-hauling operations**.
8. **Prior to the issuance of any grading or building permit, or the signing of improvement plans**, the permittee and County shall survey and document the condition of the nearest County roads before construction begins, and then reevaluate conditions at the end of construction. Prior to occupancy of any buildings or commencement of any use, the permittee shall be responsible for repair of any pavement degraded due to its construction vehicles.

PREREQUISITES FOR TEMPORARY CERTIFICATE OF OCCUPANCY

9. All roadway, access drive, and parking area improvements shall be completed **prior to issuance** of temporary occupancy of any new and/or remodeled structures.
-

**** If no temporary occupancy is requested, then the above become requirements prior to final occupancy.**

PREREQUISITES FOR FINAL CERTIFICATION OF OCCUPANCY

10. Operations and Maintenance Agreement for post construction Stormwater facilities must be legally recorded.
11. Site shall be completely stabilized to the satisfaction of the County Engineer prior to Final Occupancy.

Any changes in use may necessitate additional conditions for approval.

If you have any questions regarding the above items, please contact Jeannette Doss from Napa County Planning, Building, and Environmental Services Department, Engineering and Conservation Division, at (707) 259-8179 or by email at Jeannette.Doss@countyofnapa.org



A Tradition of Stewardship
A Commitment to Service

Planning, Building & Environmental Services

1195 Third Street, Suite 210
Napa, CA 94559
www.countyofnapa.org

David Morrison
Director

MEMORANDUM

To: Emily Hedge, Project Planner	From: Kim Withrow, Environmental Health Supervisor <i>KW</i>
Date: May 4, 2018	Re: Kenefick Winery 2200 Pickett Road APN: 020-340-007 Project #: P16-00021

This Division has reviewed a revised application requesting approval to construct a new winery and related improvements described in application materials. This Division has no objection to approval of the application with the following conditions of approval:

Prior to building permit issuance:

1. Prior to the approval of a building permit, an inspection of the existing sewage disposal system must be performed by a licensed sewage contractor and a report submitted to this Division for review and approval.

Please be advised-requirements for process wastewater treatment systems in Napa County are being reviewed and may be modified to comply with Regional Water Quality Control Board (RWQCB) minimum standards. The use of a conventional leach field for winery wastewater treatment may not be permitted, therefore the alternative sewage treatment system option for treatment and reuse of process waste will have to be constructed.

2. Plans for the proposed wastewater treatment system expansion and/or construction of the alternative sewage treatment system option for process wastewater treatment as described in the Wastewater Feasibility Study, dated January 2017, included with application materials shall be designed by a licensed Civil Engineer or Registered Environmental Health Specialist and be accompanied by complete design criteria based upon local conditions. No building clearance (or issuance of a building permit) for any structure that generates wastewater to be disposed of by this system will be approved until such plans are approved by this Division.

3. Permit(s) to construct the wastewater treatment system(s) must be secured from this Division prior to approval of a building clearance (or issuance of a building permit) for any structure that generates wastewater to be disposed of by this system.
4. Adequate area must be provided for collection of recyclables. The applicant must work with the franchised garbage hauler for the service area in which they are located, in order to determine the area and the access needed for the collection site. The garbage and recycling enclosure must meet the enclosure requirements provided during use permit process and be included on the building permit submittal. The designated area shall remain available and be properly maintained for its intended use.

During construction and/or prior to final occupancy:

5. During the construction, demolition, or renovation period of the project the applicant must use the franchised garbage hauler for the service area in which they are located for all wastes generated during project development, unless applicant transports their own waste. If the applicant transports their own waste, they must use the appropriate landfill or solid waste transfer station for the service area in which the project is located.
6. An annual alternative sewage treatment system monitoring permit must be obtained for the alternative sewage treatment system /private sewage disposal system prior to issuance of a final on the project if required. The septic system monitoring, as required by this permit, must be fully complied with.

Upon final occupancy and thereafter:

7. The applicant shall provide portable toilet facilities for guest use during all events as indicated in the septic feasibility report/use permit application. The portable toilet facilities must be pumped by a Napa County permitted pumping company.
8. Pursuant to Chapter 6.95 of the California Health and Safety Code, businesses that store hazardous materials above threshold planning quantities (55 gallons liquid, 200 cubic feet compressed gas, or 500 pounds of solids) shall obtain a permit, file an approved Hazardous Materials Business Plan to <http://cers.calepa.ca.gov/>, and be approved by this Division within 30 days of said activities.
9. Proposed food service will be catered; therefore, all food must be prepared and served by a Napa County permitted caterer. If the caterer selected does not possess a valid Napa County Permit to operate, refer the business to this Division for assistance in obtaining the required permit prior to providing any food service.
10. The use of the wastewater absorption field/drain field area shall be restricted to activities which will not contribute to compaction of the soil with consequent reduction in soil aeration. Activities which must be avoided in the area of the septic system include equipment storage, traffic, parking, pavement, livestock, etc.

11. All solid waste shall be stored and disposed of in a manner to prevent nuisances or health threats from insects, vectors and odors.
12. All diatomaceous earth/bentonite must be disposed of in an approved manner. If the proposed septic system is an alternative sewage treatment system the plan submitted for review and approval must address bentonite disposal.
13. The proposed water system to serve this project is not currently required to be regulated as a small public water system by this Division under California Code of Regulations, Title 22, or Napa County Code. Therefore, we have no comment as to its adequacy at this time. The applicant will be required to provide minimal information on the water system prior to approval of a building permit, and may wish to retain the services of a consultant in this matter.



A Tradition of Stewardship
A Commitment to Service

Napa County Fire Department
Fire Marshal's Office
Hall of Justice, 2nd Floor
1125 3rd Street
Napa, CA 94559

Office: (707) 299-1461

Garrett Veyna
Fire Marshal

MEMORANDUM

TO: Planning Division	DATE: December 10, 2017
FROM: Garrett Veyna Fire Department	
PERMIT: P16-00021	APN: 020-120-019

The Napa County Fire Marshal's Office has reviewed the submittal package for the above proposed project. The Fire Marshal approves as submitted and requires the following conditions to be incorporated as part of permit issuance.

1. All construction and use of the facility shall comply with all applicable standards, regulations, codes and ordinances at time of Building Permit issuance.
2. Beneficial occupancy will not be granted until all fire department fire and life safety items have been installed, tested and finalized.
3. Separate submittals required for **Underground Fire Lines, Fire Pump, Automatic Fire Sprinklers, Fire Alarm Systems**, Kitchen Hood Extinguishing Systems, High Piled Storage (any combustible stored over 12 feet in height).
4. All buildings, facilities, and developments shall be accessible to fire department apparatus by way of approved access roadways and/or driveways. The fire access road shall comply with the requirements of the Napa County Road & Street Standards.
5. Commercial - Water storage (for buildings not served by a public water system) and fire flow calculations shall be provided by a Certified State Licensed Civil Engineer, C-16 licensed contractor, or registered engineer indicating compliance with Table B105.2 through Table 105.4 of the Napa County Code Amendments. **Additional water supply required**
6. Commercial - Approved steamer hydrants shall be installed **within 250 feet** of any exterior portion of the building as measured along vehicular access roads. Private fire service mains shall be installed, tested and maintained per NFPA 24 2013 edition. **Review on plan set**
7. Commercial - Fire Department Connections (FDC) for automatic sprinkler systems shall be located fully visible and recognizable from the street or fire apparatus access roads. FDC shall be located within 50 feet of an approved fire hydrant. **Identify on plan set**



A Tradition of Stewardship
A Commitment to Service

Napa County Fire Department
Fire Marshal's Office
Hall of Justice, 2nd Floor
1125 3rd Street
Napa, CA 94559

Office: (707) 299-1461

Garrett Veyna
Fire Marshal

MEMORANDUM

8. Commercial - The minimum main size of all fire hydrants shall be 6 inches in diameter. Piping shall be installed with C-900 class 200 piping or ductile iron or equivalent per NFPA 24, 2013 edition for the installation of Underground Fire Protection Mains
9. An automatic fire sprinkler system shall be installed in accordance with provisions set forth in the California Fire Code as amended by the County of Napa and the applicable National Fire Protection Association Standard. Automatic fire sprinkler systems shall be designed by a fire protection engineer or C-16 licensed contractor.
10. All buildings shall comply with California Fire Code, Chapter 10 Means of Egress requirements. Including but not limited to; exit signs, exit doors, exit hardware and exit illumination.

Please note that the comments noted above are based on a Fire Marshal review only. There may be additional comments or information requested from other County Departments or Divisions reviewing this application submittal package. Napa County Fire Marshal's Office Development Guidelines can be found @ www.countyofnapa.org/firemarshal. Should you have any questions of me, contact me at (707)299-1461 or email at garrett.veyna@fire.ca.gov