

**“B”**

**Recommended Conditions of Approval  
and Final Agency Approval Memos  
Suscol Headwaters Park  
P19-00482-UP**

**PLANNING COMMISSION HEARING – FEBRUARY 19, 2020  
RECOMMENDED CONDITIONS OF APPROVAL**

**SUSCOL HEADWATERS PARK  
USE PERMIT #P19-00482-UP  
APN 045-360-013, 045-360-014, 045-360-022, & 057-030-014**

This Permit encompasses and shall be limited to the project commonly known as Suscol Headwaters Park. Part I encompasses the Project Scope and general conditions pertaining to statutory and local code references, project monitoring and the process for any future changes or activities. Part II encompasses the ongoing conditions relevant to the operation of the project. Part III encompasses the conditions relevant to construction and the prerequisites for a Final Certificate of Occupancy. It is the responsibility of the permittee to communicate the requirements of these conditions and mitigations (if any) to all designers, contractors, employees, and the general public to ensure compliance is achieved.

Where conditions are not applicable or relevant to this project, they shall be noted as “Reserved” and, therefore, have been removed.

When modifying a legally established entitlement related to this project, these conditions are not intended to be retroactive or to have any effect on existing vested rights except where specifically indicated.

**PART I**

**1.0 PROJECT SCOPE**

This Permit encompasses and shall be limited to:

- 1.1 Approval of a Use Permit to operate a park and rural recreational uses and facilities.
  - a. 709 acres of land dedicated for Suscol Headwaters Park
  - b. Approximately 7.31 miles of single track trails used for hiking, biking, horseback riding, and nature observation
  - c. Construction of directional signage and an informational kiosk.

The park and rural recreational uses and facilities shall be designed in substantial conformance with the submitted site plan, elevation drawings, and other submittal materials and shall comply with all requirements of the Napa County Code (the County Code). It is the responsibility of the permittee to communicate the requirements of these conditions and mitigations (if any) to all designers, contractors, employees, and the general public to ensure compliance is achieved. Any expansion of or change in use or alternative locations for fire suppression or other types of water tanks shall be approved in accordance with the County Code and may be subject to the permit modification process.

**2.0 STATUTORY AND CODE SECTION REFERENCES**

All references to statutes and code sections shall refer to their successor as those sections or statutes may be subsequently amended from time to time.

### **3.0 MONITORING COSTS**

All Staff costs associated with monitoring compliance with these conditions, previous permit conditions, and project revisions shall be borne by the permittee and/or property owner. Costs associated with conditions of approval and mitigation measures that require monitoring, including investigation of complaints, other than those costs related to investigation of complaints of non-compliance that are determined to be unfounded, shall be charged to the property owner or permittee. Costs shall be as established by resolution of the Board of Supervisors in accordance with the hourly consulting rate established at the time of the monitoring and shall include maintenance of a \$500 deposit for construction compliance monitoring that shall be retained until issuance of a Final Certificate of Occupancy. Violations of conditions of approval or mitigation measures caused by the permittee's contractors, employees, and/or guests are the responsibility of the permittee.

The Planning Commission may implement an audit program if compliance deficiencies are noted. If evidence of a compliance deficiency is found to exist by the Planning Commission at some time in the future, the Planning Commission may institute the program at the permittee's expense (including requiring a deposit of funds in an amount determined by the Commission) as needed until compliance assurance is achieved. The Planning Commission may also use the data, if so warranted, to commence revocation proceedings in accordance with the County Code.

## **PART II**

### **4.0 OPERATIONAL CHARACTERISTICS OF THE PROJECT**

Permittee shall comply with the following during operation of the project:

- 4.1 GROUND WATER MANAGEMENT – WELLS **[RESERVED]**
- 4.2 AMPLIFIED MUSIC **[RESERVED]**
- 4.3 TRAFFIC **[RESERVED]**
- 4.4 PARKING **[RESERVED]**
- 4.5 BUILDING DIVISION – USE OR OCCUPANCY CHANGES **[RESERVED]**
- 4.6 FIRE DEPARTMENT – TEMPORARY STRUCTURES **[RESERVED]**
- 4.7 NAPA COUNTY MOSQUITO ABATEMENT PROGRAM  
The installation, operation and maintenance of the California red-legged frog pond shall be in conformance with the Napa County Mosquito Abatement District's program for eliminating mosquito sources and managing mosquito-breeding areas in order to reduce mosquitoes to a tolerable and healthful level.
- 4.8 GENERAL PROPERTY MAINTENANCE – LIGHTING, LANDSCAPING, PAINTING, OUTDOOR EQUIPMENT STORAGE, MECHANICAL EQUIPMENT, AND TRASH ENCLOSURE AREAS **[RESERVED]**

- 4.9 NO TEMPORARY SIGNS  
Temporary off-site signage, such as “A-Frame” signs are prohibited.
- 4.10 COMPLIANCE WITH OTHER DEPARTMENTS AND AGENCIES -  
OPERATIONAL CONDITIONS **[RESERVED]**
- 4.11 OPERATIONAL MITIGATION MEASURES **[RESERVED]**
- 4.12 OTHER CONDITIONS APPLICABLE TO THE OPERATIONAL ASPECTS OF  
THE PROJECT **[RESERVED]**
- 4.13 PREVIOUS CONDITIONS **[RESERVED]**

### **PART III**

#### **5.0 PREREQUISITE FOR ISSUANCE OF PERMITS**

- 5.1 PAYMENT OF FEES  
No building, grading or sewage disposal permits shall be issued or other permits authorized until all accrued planning permit processing fees have been paid in full. This includes all fees associated with plan check and building inspections, associated development impact fees established by County Ordinance or Resolution, and the Napa County Affordable Housing Mitigation Fee in accordance with County Code.

#### **6.0 GRADING/DEMOLITION/ENVIRONMENTAL/BUILDING PERMIT/OTHER PERMIT PREREQUISITES**

Permittee shall comply with the following with the submittal of a grading, demolition environmental, building and/or other applicable permit applications:

- 6.1 COMPLIANCE WITH OTHER DEPARTMENTS AND AGENCIES - PLAN REVIEW, CONSTRUCTION AND PREOCCUPANCY CONDITIONS

The attached project conditions of approval include all of the following County Divisions, Departments and Agencies’ requirements. The permittee shall comply with all applicable building codes, zoning standards, and requirements of County Divisions, Departments and Agencies at the time of submittal and may be subject to change. Without limiting the force of those other requirements which may be applicable, the following are incorporated by reference as enumerated herein:

- a. Engineering Services Division plan review/construction/preoccupancy conditions as stated in their Memorandum dated January 29, 2020.
- b. Environmental Health Division plan review/construction/preoccupancy conditions as stated in their Memorandum dated February 10, 2020.

The determination as to whether or not the permittee has substantially complied with the requirements of other County Divisions, Departments and Agencies shall be determined by those County Divisions, Departments or Agencies. The

inability to substantially comply with the requirements of other County Divisions, Departments and Agencies may result in the need to modify the permit.

6.2 BUILDING DIVISION – GENERAL CONDITIONS

Please contact the Building Division with any questions regarding the following:

- a. A building permit shall be obtained for all construction occurring on the site not otherwise exempt by the CBC or any State or local amendment adopted thereto
- b. If there are any existing structures and/or buildings on the property that will need to be removed to accommodate construction activities, a separate demolition permit shall be required from the Building Division prior to removal. The permittee shall provide a “J” number from the Bay Area Air Quality Management District (BAAQMD) at the time the permittee applies for a demolition permit if applicable.
- c. All areas of newly designed and newly constructed buildings, facilities and or site improvements must comply with the CBC accessibility requirements, as well as, American with Disabilities Act requirements when applicable. When alterations or additions are made to existing buildings or facilities, an accessible path of travel to the specific area of alteration or addition shall be provided as required per the CBC.

6.3 LIGHTING – PLAN SUBMITTAL **[RESERVED]**

6.4 LANDSCAPING – PLAN SUBMITTAL **[RESERVED]**

6.5 COLORS **[RESERVED]**

6.6 OUTDOOR STORAGE/SCREENING/UTILITIES **[RESERVED]**

6.7 MECHANICAL EQUIPMENT **[RESERVED]**

6.8 TRASH ENCLOSURES **[RESERVED]**

6.9 ADDRESSING **[RESERVED]**

6.10 HISTORIC RESOURCES **[RESERVED]**

6.11 DEMOLITION ACTIVITIES **[RESERVED]**

6.12 VIEWSHED – EXECUTION OF USE RESTRICTION **[RESERVED]**

6.13 PERMIT PREREQUISITE MITIGATION MEASURES **[RESERVED]**

6.14 PARCEL CHANGE REQUIREMENTS **[RESERVED]**

6.15 FINAL MAPS **[RESERVED]**

6.16 OTHER CONDITIONS APPLICABLE TO THE PROJECT PERMITTING  
PROCESS **[RESERVED]**

**7.0 PROJECT CONSTRUCTION**

Permittee shall comply with the following during project construction:

**7.1 SITE IMPROVEMENT**

Please contact Engineering Services with any questions regarding the following:

a. **GRADING & SPOILS**

All grading and spoils generated by construction of the project facilities shall be managed per Engineering Services direction. Alternative locations for spoils are permitted, subject to review and approval by the PBES Director, when such alternative locations do not change the overall concept, and do not conflict with any environmental mitigation measures or conditions of approval.

b. **DUST CONTROL**

Water and/or dust palliatives shall be applied in sufficient quantities during grading and other ground disturbing activities on-site to minimize the amount of dust produced. Outdoor construction activities shall not occur when average wind speeds exceed 20 mph.

c. **AIR QUALITY**

During all construction activities the permittee shall comply with the most current version of BAAQMD Basic Construction Best Management Practices including but not limited to the following, as applicable:

1. Post a publicly visible sign with the telephone number and person to contact at the lead agency regarding dust complaints. The BAAQMD's phone number shall also be visible.
2. Water all exposed surfaces (e.g., parking areas, staging areas, soil piles, grading areas, and unpaved access roads) two times per day.
3. Cover all haul trucks transporting soil, sand, or other loose material off-site.
4. Remove all visible mud or dirt tracked onto adjacent public roads by using wet power vacuum street sweepers at least once per day. The use of dry power sweeping is prohibited.
5. All vehicle speeds on unpaved roads shall be limited to 15 mph.
6. All roadways, driveways, and sidewalks to be paved shall be completed as soon as possible. Building pads shall be laid as soon as possible after grading unless seeding or soil binders are used.

7. Idling times shall be minimized either by shutting off equipment when not in use or reducing the maximum idling time to five (5) minutes (as required State Regulations). Clear signage shall be provided for construction workers at all access points.
8. All construction equipment shall be maintained and properly tuned in accordance with manufacturer's specifications. All equipment shall be checked by a certified visible emissions evaluator. Any portable engines greater than 50 horsepower or associated equipment operated within the BAAQMD's jurisdiction shall have either a California Air Resources Board (ARB) registration Portable Equipment Registration Program (PERP) or a BAAQMD permit. For general information regarding the certified visible emissions evaluator or the registration program, visit the ARB FAQ [http://www.arb.ca.gov/portable/perp/perfaq\\_04-16-15.pdf](http://www.arb.ca.gov/portable/perp/perfaq_04-16-15.pdf) or the PERP website <http://www.arb.ca.gov/portable/portable.htm>.

d. **STORM WATER CONTROL**

The permittee shall comply with all construction and post-construction storm water pollution prevention protocols as required by the County Engineering Services Division, and the State Regional Water Quality Control Board.

7.2 **ARCHEOLOGICAL FINDING**

In the event that archeological artifacts or human remains are discovered during construction, work shall cease in a 50-foot radius surrounding the area of discovery. The permittee shall contact the PBES Department for further guidance, which will likely include the requirement for the permittee to hire a qualified professional to analyze the artifacts encountered and to determine if additional measures are required.

If human remains are encountered during project development, all work in the vicinity must be halted, and the Napa County Coroner informed, so that the Coroner can determine if an investigation of the cause of death is required, and if the remains are of Native American origin. If the remains are of Native American origin, the permittee shall comply with the requirements of Public Resources Code Section 5097.98.

7.3 **CONSTRUCTION NOISE**

Construction noise shall be minimized to the greatest extent practical and feasible under State and local safety laws, consistent with construction noise levels permitted by the General Plan Community Character Element and the County Noise Ordinance. Construction equipment muffling and hours of operation shall be in compliance with the County Code. Equipment shall be shut down when not in use. Construction equipment shall be staged, loaded, and unloaded on the project site, if at all practicable. If project terrain or access road conditions require construction equipment to be staged, loaded, or unloaded off the project site (such as on a neighboring road or at the base of a hill), such activities only shall occur daily between the hours of 8:00 AM to 5:00 PM.

#### 7.4 CONSTRUCTION MITIGATION MEASURES

The permittee shall comply with the following construction mitigation measures identified in the adopted Initial Study/Mitigated Negative Declaration and Project Revision Statement/Mitigation Monitoring and Reporting Program prepared for the project:

- a. MM1: Prior to the start of construction, a qualified biologist will flag the existing eight streamside daisy plants plus a 10-foot buffer surrounding the plants, such that all trail construction will avoid the plants.

Method of Monitoring: Onsite by responsible agency staff.

Responsible Agency(ies): NCRPOSD

#### 7.5 OTHER CONSTRUCTION CONDITIONS APPLICABLE TO THE PROJECT PROPOSAL **[RESERVED]**

### 8.0 TEMPORARY CERTIFICATE OF OCCUPANCY – PREREQUISITES

#### 8.1 TEMPORARY OCCUPANCY **[RESERVED]**

### 9.0 FINAL CERTIFICATE OF OCCUPANCY – PREREQUISITES

Permittee shall comply with the following before a Final Certificate of Occupancy is granted by the County Building Official, which upon granting, authorizes all use permit activities to commence:

#### 9.1 FINAL OCCUPANCY

All project improvements, including compliance with applicable codes, conditions, and requirements of all Departments and Agencies with jurisdiction over the project, shall be completed.

#### 9.2 SIGNS

Detailed plans, including elevations, materials, color, and lighting for any project identification or directional signs shall be submitted to the Department for administrative review and approval prior to installation. Administrative review and approval is not required if the signage to be installed is consistent with signage plans submitted, reviewed and approved as part of this permit approval. All signs shall meet the design standards as set forth in the County Code. Any off-site signs allowed shall be in conformance with the County Code.

#### 9.3 GATE/ENTRY STRUCTURES **[RESERVED]**

#### 9.4 LANDSCAPING **[RESERVED]**

#### 9.5 ROAD OR TRAFFIC IMPROVEMENT REQUIREMENTS **[RESERVED]**

#### 9.6 DEMOLITION ACTIVITIES **[RESERVED]**



- 9.7 GRADING SPOILS  
All spoils piles shall be removed in accordance with the approved grading permit and/or building permit.
- 9.8 MITIGATION MEASURES APPLICABLE PRIOR TO ISSUANCE OF A FINAL CERTIFICATE OF OCCUPANCY **[RESERVED]**
- 9.9 OTHER CONDITIONS APPLICABLE PRIOR TO ISSUANCE OF A FINAL CERTIFICATE OF OCCUPANCY **[RESERVED]**



A Tradition of Stewardship  
A Commitment to Service

Planning, Building & Environmental Services

1195 Third Street, Suite 210  
Napa, CA 94559  
www.countyofnapa.org

David Morrison  
Director

## MEMORANDUM

To: Trevor Hawkes, Planning	From: Daniel Hornett, Engineering
Date: January 29, 2020	Re: P19-00482 Suscol Headwaters Park APN: 045-360-022

The Engineering Division has reviewed the use permit application P19-00482 for the Suscol Headwaters Park located on assessor's parcel number 045-360-022. In general the project proposes the following:

*A publicly-accessible open space park and recreational facility.*

Based upon the information provided in the application, Engineering finds the application **complete** and recommends the following conditions of approval:

### RECOMMENDED APPROVAL CONDITIONS:

### PREREQUISITES FOR ISSUANCE OF PERMITS

1. All on site civil improvements including but not limited to the excavation, fill, general grading, drainage, curb, gutter, surface drainage, storm drainage, parking and drive isles, shall be constructed according to plans prepared by a registered civil engineer, which will be reviewed and approved by the Engineering Division of the Napa County Planning, Building, and Environmental Services Department (PBES) **prior to the commencement** of any on site land preparation or construction. Plans shall be wet signed and submitted with the building and/or grading permit documents at the time of permit application. A plan check fee will apply.
2. Grading and drainage improvements shall be constructed according to the current Napa County Road and Street Standards, Chapter 16.28 of the Napa County Code, and Appendix J of the California Building Code.
3. **Prior to issuance of a grading permit** the owner shall submit the necessary documents for Erosion Control as determined by the area of disturbance of the proposed development in accordance with the Napa Countywide Stormwater Pollution Prevention program Erosion and Sediment Control Plan Guidance for Applicant and Review Staff dated December 2014.

#### **PREREQUISITES DURING PROJECT CONSTRUCTION**

- 4. Required on-site pre-construction meeting with the Napa County PBES Engineering Division **prior to start of construction.****

#### **PREREQUISITES FOR FINAL CERTIFICATION OF OCCUPANCY**

5. Site shall be completely stabilized to the satisfaction of the County Engineer prior to Final Occupancy.

**Any changes in use may necessitate additional conditions for approval.**

If you have any questions regarding the above items, please contact Daniel Hornett from Napa County Planning, Building, and Environmental Services Department, Engineering Division, at (707)299-1358 or by email at [Daniel.Hornett@countyofnapa.org](mailto:Daniel.Hornett@countyofnapa.org)



A Tradition of Stewardship  
A Commitment to Service

Planning, Building & Environmental Services

1195 Third Street, Suite 210  
Napa, CA 94559  
[www.countyofnapa.org](http://www.countyofnapa.org)

David Morrison  
Director

MEMORANDUM

To: Trevor Hawkes, Project Planner	From: Armeda Simpson-Van Dam, Environmental Health <i>ASV</i>
Date: February 10, 2020	Re: Suscol Headwaters Park & Napa Solano Ridge Trail Assessor Parcel #057-030-014, 045-360-013, 045-360-014 & 045-360-022 Permit# P19-00482 & 483

Environmental Health staff has reviewed an application to modify an existing use permit. This Division has no objection to approval of the application.